

ENOC STRATA HSD SAE 40

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue:10/14/2015 Revision date:10/14/2015

Version: 1.0

:

SEG	ON 1: Identification of the su	ubstance	/mixture and of the company	/undertaking	
1.1.	Product identifier			9	
roduct	form	: Mix	ture		
Product	name	: EN	DC STRATA HSD SAE 40		
Product	code	: 100	005		
.2.	Relevant identified uses of the su	bstance or	mixture and uses advised against		
.2.1.	Relevant identified uses				
lse of tl	he substance/mixture	: Mari	ne Diesel Engine Oil		
.2.2.	Uses advised against				
	tional information available				
.3.	Details of the supplier of the safe	ty data she	et		
ENOC H Dubai -	Aarketing L.L.C House I United Arab Emirates 4 313 4613 - F +971 4 313 4616				
.4.	Emergency telephone number				
merge	ncy number	-	43374400 ness hours)		
SECTI	ON 2: Hazards identification				
.1.	Classification of the substance or	mixture			
lassifi	cation according to Regulation (EC) No. 1272/	2008 [CLP]		
lot clas	sified				
.2.	Label elements				
abellir	ng according to Regulation (EC) No.	1272/2008	[CLP]		
	atements		208 - Contains Calcium petroleum sulfo	onate(61789-86-4)	. May produce an allergic
.3.	Other hazards				
-	tional information available				
			www.Passta		
	ON 3: Composition/informat	ion on ir	grealents		
. 1.	Substance				
lot app	licable				
3.2.	Mixture				
			Product identifier	%	Classification according to

			1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	82.5	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)
Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).]	(CAS No) 64742-57-0 (EC no) 265-160-8 (EC index no) 649-470-00-4 (REACH-no) 01-2119489287-22 01- 2119480472-38-0013; 01-2119480472-38	12.5	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)

Safety Data Sheet

according to Regulation (EU) 2015/830

Calcium petroleum sulfonate	(CAS No) 61789-86-4 (EC no) 263-093-9 (REACH-no) Not available	0.7	Skin Sens. 1, H317
Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) Not available	0.5	Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measured	ires		
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.		
4.2. Most important symptoms an	nd effects, both acute and delayed		
Symptoms/injuries	: Aspiration of this material may cause chemical pneumonia.		
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.		
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.		
Symptoms/injuries after eye contact	: May cause eye irritation.		
Symptoms/injuries after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis Caution if victim vomits: Risk of aspiration!.		
4.3. Indication of any immediate	nedical attention and special treatment needed		
No additional information available			
SECTION 5: Firefighting measu	ires		
5.1. Extinguishing media			
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.		
Unsuitable extinguishing media	: None known.		

5.2. Special hazards arising from the su	Special hazards arising from the substance or mixture	
Fire hazard	: None known.	
Explosion hazard	: None known.	
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulphur oxides.	
5.3. Advice for firefighters		
Firefighting instructions Protective equipment for firefighters	Cool down the containers exposed to heat with a water spray.Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear personal protection equipment.	
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.	
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.	
6.2. Environmental precautions		

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
For containment		: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.	
Methods for cleaning up		: Collect all waste in suitable and labelled containers and dispose according to local legislation.	
6.4. Reference to other sections			
No add	No additional information available		

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures. May result in aspiration into the lungs.	
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.	
7.2. Conditions for safe storage, inclu	Iding any incompatibilities	
Storage conditions	: Store in a dry, cool and well-ventilated place.	
Special rules on packaging : Keep only in original container.		
7.3. Specific end use(s)		
No additional information available		

SECTION 8: Exposure controls/personal protection
--

8.1. **Control parameters** No additional information available

8.2. **Exposure controls** Appropriate engineering controls : Either local exhaust or general room ventilation is usually required. Personal protective equipment : Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. Materials for protective clothing : Wear suitable protective clothing. Natural fibres (e.g. cotton) : Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through Hand protection time: ≥ 480 min. Eye protection : Use splash goggles when eye contact due to splashing is possible. DIN EN 166 : In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to Respiratory protection EN140 with Type A/P2 filter or better.



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	I chemical properties	
Physical state	: Liquid	
Colour	: amber.	
Odour	: Characteristics.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 240 °C (Open Cup)	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.89 g/cm³ @ 15.5°C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: 15 mm²/s @ 100°C	
Viscosity, dynamic	: No data available	
10/20/2015	EN (English)	3/8

Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking.	Explosive	properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
 9.2. Other information No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity Stable under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials 	Oxidising p	properties	: not oxidizing.
No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity Stable under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	Explosive	limits	: No data available
SECTION 10: Stability and reactivity 10.1. Reactivity Stable under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	9.2.	Other information	
10.1. Reactivity Stable under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	No additio	nal information available	
Stable under normal conditions. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	SECTIO	N 10: Stability and reactivi	ty
10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	10.1. I	Reactivity	
Stable under normal conditions. 10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	Stable und	der normal conditions.	
10.3. Possibility of hazardous reactions None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	10.2.	Chemical stability	
None known under normal conditions of use. No polymerization. 10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	Stable und	der normal conditions.	
10.4. Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	10.3.	Possibility of hazardous reaction	S
Keep away from heat/sparks/open flames/hot surfaces No smoking. 10.5. Incompatible materials	None know	wn under normal conditions of use.	No polymerization.
10.5. Incompatible materials	10.4.	Conditions to avoid	
	Keep away	y from heat/sparks/open flames/hot	surfaces No smoking.
	10.5. I	Incompatible materials	
10.6. Hazardous decomposition products			

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Calcium petroleum sulfonate (61789-86-4)		
LD50 oral rat	> 20 g/kg	
LD50 dermal rabbit	> 4000 mg/kg	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
ENOC STRATA HSD SAE 40		
Viscosity, kinematic	15 mm²/s @ 100°C	

SECTION 12: Ecological information

Calcium petroleum sulfonate (61789-86-4)	
LC50 fish 1	5.7 - 9.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	1.0 - 10.0 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
EC50 Daphnia 1	6.2 - 12 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830

according to Regulation (EU) 2015/830	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considera	ations
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport informat	ion
In accordance with ADR / RID / IMDG / IAT	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
Transport hazard class(es) (IATA)	. Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN) Packing group (RID)	: Not applicable : Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea No data available

- Air transport

No data available

Safety Data Sheet

according to Regulation (EU) 2015/830

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Safety Data Sheet

according to Regulation (EU) 2015/830

Other information, restriction and prohibition regulations	 International regulatory information: AICS. Australia. Inventory of Chemical Substances (as amended through 1 September 2015) CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated
	Note(s): aU Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.
	DSL. Canada. Domestic Substances List, as amended through September 23, 2015 CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated Canada. Categorization of Existing Substances on DSL (September 2006)
	CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS
	Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate
	Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No
	ENCS. Japan. Inventory of Existing & New Chemical Substances, as amended through July 30,
	2015 CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated (en-US)
	Japanese ENCS Number: (9)-1689 Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through June 26, 2015 CAS RN: 64742-57-0
	Name: Residual oils (petroleum), hydrotreated (en-US) Japanese ENCS Number: (9)-1689 Japanese ISHL Number: (9)-1689
	Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical Substance Control Law.
	KECI. Korea Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015) CAS RN: 64742-57-0 Name: Residual cile (patroloum) budratested
	Name: Residual oils (petroleum), hydrotreated Korean ID Number: KE-30119
	PICCS. Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated
	U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))
	CAS RN: 64742-57-0 Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS
	RN: 8012-95-1 Generics group name: PARAFFIN OILS TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6,
	2011) CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1
	Generics group name: Paraffin oils CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)
	CAS RN: 64742-57-0 Name: RESIDUAL OILS, PETROLEUM, HYDROTREATED 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0
	HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program. F Fully Sponsored Chemical
	. International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)
	CAS RN: 64742-70-7 Name: Paraffin oils, petroleum, catalytic dewaxed heavy Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by
10/20/2015	putting an asterisk (*) after the CAS number. DSI (Englishing)da. Domestic Substances List (DSL), as amended through September 23, 2015 7/8
	CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-

95-1 Generics group name: PARAFFIN OILS Substance category: UORG Safety Data Sheet

according to Regulation (EU) 2015/830

15.1.2. National regulations

Germany

Germany		
VwVwS Annex reference	:	Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	Zinc alkyl dithiophosphate, Calcium petroleum sulfonate, Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).] are listed
SZW-lijst van mutagene stoffen	:	Zinc alkyl dithiophosphate,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).] are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Classification remarks	:	Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Other information

: It is the user's responsibility to take the mentioned precautionary measures and to ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Sens. 1	Sensitisation — Skin, Category 1
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product