

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue:10/14/2015 Revision date:10/14/2015

Version: 1.0

:

SECTION 1: Identification of the substar	oolmixture and of the com	nonv/undortaking	
1.1. Product identifier		ipany/undertaking	
	ſixture		
	: ENOC STRATA HSD SAE 50		
	00011		
I.2. Relevant identified uses of the substance	e or mixture and uses advised ag	ainst	
I.2.1. Relevant identified uses			
Jse of the substance/mixture : N	larine Diesel Engine Oil		
I.2.2. Uses advised against			
No additional information available			
.3. Details of the supplier of the safety data	sheet		
NOC Marketing L.L.C			
ENOC House I Dubai - United Arab Emirates			
Γ +971 4 313 4613 - F +971 4 313 4616			
.4. Emergency telephone number			
	97143374400 business hours)		
(1			
SECTION 2: Hazards identification			
.1. Classification of the substance or mixtur	e		
Classification according to Regulation (EC) No. 12	272/2008 [CLP]		
Not classified			
2.2. Label elements			
_abelling according to Regulation (EC) No. 1272/2	008 [CLP]		
	UH208 - Contains Calcium petroleu	um sulfonate(61789-86-	4). May produce an allergic
r	eaction		
2.3. Other hazards			
lo additional information available			
SECTION 3: Composition/information or	n ingredients		
3.1. Substance	ringreatents		
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
-Distillates (petroleum), hydrotreated heavy paraffinic	(CAS No) 64742-54-7 (EC no) 265-157-1	56.5	Carc. not classified according to note L of CLP

-Distillates (petroleum), hydrotreated heavy paraffinic	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	56.5	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)
Calcium petroleum sulfonate	(CAS No) 61789-86-4 (EC no) 263-093-9 (REACH-no) Not available	0.7	Skin Sens. 1, H317
Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) Not available	0.5	Eye Dam. 1, H318 Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EU) 2015/830

according to Regulation (EU) 2015/830	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries	: Aspiration of this material may cause chemical pneumonia.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis. Caution if victim vomits: Risk of aspiration!.
No additional information available SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulphur oxides.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear personal protection equipment.

6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.

: Evacuate area. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers. Methods for cleaning up : Collect all waste in suitable and labelled containers and dispose according to local legislation. **Reference to other sections** 6.4. No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handling this product may result in electrostatic accumulation. Use proper grounding procedures. May result in aspiration into the lungs. : Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity Precautions for safe handling discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.

Emergency procedures

Safety Data Sheet

according to Regulation (EU) 2015/830

5 5 ()	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	: Wear suitable protective clothing. Natural fibres (e.g. cotton)
Hand protection	: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min.
Eye protection	: Use splash goggles when eye contact due to splashing is possible. DIN EN 166

Respiratory protection



: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Liquid
Colour	: amber.
Odour	: Characteristics.
Odour threshold	: No data available
pН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 256 °C (Open Cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.9 g/cm³ @ 15.5°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 21 mm²/s @ 100°C
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: not oxidizing.
Explosive limits	: No data available
9.2. Other information	

No additional information available

Safety Data Sheet

Satety Data Sheet ccording to Regulation (EU) 2015/830	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Stable under normal conditions.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions None known under normal conditions of use. No	nolumorization
	polymenzation.
10.4. Conditions to avoid	
Keep away from heat/sparks/open flames/hot sur	Taces No smoking.
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
No hazardous decomposition products known at	room temperature.
SECTION 11, Toxicological informati	
SECTION 11: Toxicological informati	
11.1. Information on toxicological effects	· Not classified
Acute toxicity	: Not classified
Calcium petroleum sulfonate (61789-86-4)	
LD50 oral rat	> 20 g/kg
LD50 dermal rabbit	> 4000 mg/kg
-Distillates (petroleum), hydrotreated heavy	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/m ³
Skin corrosion/irritation	: Not classified : Not classified
Serious eye damage/irritation Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
ENOC STRATA HSD SAE 50	
Viscosity, kinematic	21 mm²/s @ 100°C
SECTION 12: Ecological information 12.1. Toxicity Calcium petroleum sulfonate (61789-86-4)	
LC50 fish 1	5.7 - 9.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	1.0 - 10.0 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
EC50 Daphnia 1	6.2 - 12 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
-Distillates (petroleum), hydrotreated heavy	paraffinic (64742-54-7)
Persistence and degradability	Inherently biodegradable.
12.3. Bioaccumulative potential	
-	
-Distillates (petroleum), hydrotreated heavy	
Bioaccumulative potential	Bioaccumulative potential.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EU) 2015/830

according to Regulation (EU) 2015/830	
Component	
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	nns
13.1. Waste treatment methods	
	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding
Regional legislation (waste)	versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA /	ADN
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
	· · · · · · · · · · · · · · · · · · ·
14.5. Environmental hazards	
Dangerous for the environment	: No : No
Marine pollutant Other information	
	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

Safety Data Sheet

according to Regulation (EU) 2015/830

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

July 1, 2015) CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated Korean ID Number: KE-30119 PICCS. Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-57-0 Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CA	regulations	 AICS. Australia. Inventory of Chemical Substances (as amended through 1 September 2015) CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated Note(s): aU Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number. DSL. Canada. Domestic Substances List, as amended through September 23, 2015 CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated Canada. Categorization of Existing Substances on DSL (September 2006) CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No ENCS. Japan. Inventory of Existing & New Chemical Substances, as amended through July 30, 2015 CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated (en-US) Japanese ENCS Number: (9)-1689 Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through June 26, 2015 CAS RN: 64742-57-0
CÁS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-57-0 Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CA		Japanese ENCS Number: (9)-1689 Japanese ISHL Number: (9)-1689 Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical Substance Control Law. KECI. Korea Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015) CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated
Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CA		CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR
10/20/2015 EN (English)	10/20/2015	CÁS RN: 64742-57-0

Safety Data Sheet

according to Regulation (EU) 2015/830

	RN: 8012-95-1
	Generics group name: PARAFFIN OILS TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)
	CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-57-0 Name: RESIDUAL OILS, PETROLEUM, HYDROTREATED 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program. F Fully Sponsored Chemical.
15.1.2. National regulations	
Germany	
VwVwS Annex reference	: Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	 Zinc alkyl dithiophosphate,-Distillates (petroleum), hydrotreated heavy paraffinic,Calcium petroleum sulfonate are listed
SZW-lijst van mutagene stoffen	: Zinc alkyl dithiophosphate,-Distillates (petroleum), hydrotreated heavy paraffinic are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
15.2. Chemical safety assessment	
A chemical safety assessment has been carried	out for the substance or the mixture by the supplier

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information		

Other information

: It is the user's responsibility to take the mentioned precautionary measures and to ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Sens. 1	Sensitisation — Skin, Category 1
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product