

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue:11/10/2015 Revision date:11/10/2015

Version: 1.0

:

1.1. Product identifier	e substance/mixture and of the company/undertaking		
Product form	: Mixture		
Product name	: ENOC Vulcan 770X SAE 20W-50		
Product code	: 200039		
1.2. Relevant identified uses of the	e substance or mixture and uses advised against		
1.2.1. Relevant identified uses			
Use of the substance/mixture	: Diesel Engine Oil		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the s	afety data sheet		
ENOC Marketing L.L.C			
ENOC House I Dubai - United Arab Emirates			
T +971 4 313 4613 - F +971 4 313 4616			
1.4. Emergency telephone number			
1.4. Emergency telephone number Emergency number	: +97143374400		
	(business hours)		
SECTION 2: Hazards identificati	ion		
2.1. Classification of the substance			
Classification according to Regulation (
Hazardous to the aquatic environment - 0	Chronic Hazard, Category 2 H411		
Full text of H statements : see section 16			
2.2 Label elements			
	No. 1272/2008 [CL P]		
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]		
Labelling according to Regulation (EC)	No. 1272/2008 [CLP] :		
Labelling according to Regulation (EC)	No. 1272/2008 [CLP] : : GHS09		
Labelling according to Regulation (EC) Hazard pictograms (CLP)			
Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)			
Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	GHS09		
	: GHS09 : - : H411 - Toxic to aquatic life with long lasting effects : P273 - Avoid release to the environment P391 - Collect spillage		

3.1. Substance

Not applicable

3.2. Mixture

Safety Data Sheet

according to Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
-Distillates (petroleum), hydrotreated heavy paraffinic	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	32	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	54.7	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts	(CAS No) 84605-29-8 (EC no) 283-392-8 (REACH-no) Not available	1.2	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Phenol, dodecyl-, branched	(CAS No) 121158-58-5 (EC no) 310-154-3 (REACH-no) Not available	0.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 Aquatic Chronic 1, H410 (M=10)

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Aspiration of this material may cause chemical pneumonia.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis. Caution if victim vomits: Risk of aspiration!.

4.3. Indication of any immediate medical attention and special treatment needed No additional information available

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.	
Unsuitable extinguishing media	: None known.	
5.2. Special hazards arising from the su	ubstance or mixture	
Fire hazard	: None known.	
Explosion hazard	: None known.	
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulphur oxides.	
5.3. Advice for firefighters		
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.	
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.	
SECTION 6: Accidental release mea	Isures	
6.1. Personal precautions, protective equipment and emergency procedures		

: Wear personal protection equipment.

6.1.1. For non-emergency personnel

Safety Data Sheet

Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to
	disperse vapours. Do not touch spilled material.
6.2. Environmental precautions	
Avoid release to the environment. Notify au	thorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	inment and cleaning up
For containment	: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
Methods for cleaning up	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	je
7.1. Precautions for safe handling	
Additional hazards when processed	 Handling this product may result in electrostatic accumulation. Use proper grounding procedures. May result in aspiration into the lungs.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminate clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/p	bersonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	: Wear suitable protective clothing. Natural fibres (e.g. cotton)
Hand protection	: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break throug time: ≥ 480 min.
Eye protection	: Use splash goggles when eye contact due to splashing is possible. DIN EN 166
	 In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better.
Respiratory protection	

SECTION 9: Physical and chemica	a properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Colour	: amber.
Odour	: Characteristics.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available

Safety Data Sheet

according to Regulation (EU) 2015/830

Freezing point	: No data available
Boiling point	: No data available
Flash point	: 250 °C (Open Cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.8906 g/cm³ @ 15.5°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 19 mm²/s @ 100°C
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: not oxidizing.
Explosive limits	: No data available

Other information 9.2.

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
Stable ι	under normal conditions.
10.2.	Chemical stability
Stable ι	under normal conditions.
10.3.	Possibility of hazardous reactions
None kr	nown under normal conditions of use. No polymerization.
10.4.	Conditions to avoid
Keep av	way from heat/sparks/open flames/hot surfaces No smoking.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
-Distillates (petroleum), hydrotreated heavy	oaraffinic (64742-54-7)		
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rat	> 5000 mg/kg		
LC50 inhalation rat (mg/l)	> 5000 mg/m ³		
Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts (84605-29-8)			
LD50 oral rat	2000 mg/kg		
LD50 dermal rabbit	> 3200 mg/kg		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: Not classified		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		

Safety Data Sheet

according to Regulation (EU) 2015/830

ENOC Vulcan 770X SAE 20W-50

Viscosity, kinematic

19 mm²/s @ 100°C

viscosity, kinematic	
SECTION 12: Ecological information	
SECTION 12: Ecological information	
12.1. Toxicity	
Phosphorodithioic acid, mixed O,O-bis(1,3-d	imethylbutyl and isopropyl) esters, zinc salts (84605-29-8)
LC50 fish 1	10 - 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	38 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.1 - 1 mg/l (Exposure time: 48 h - Species: Daphnia magna)
40.0 Development de medebility	
12.2. Persistence and degradability	
-Distillates (petroleum), hydrotreated heavy p	
Persistence and degradability	Inherently biodegradable.
12.3. Bioaccumulative potential	
-Distillates (petroleum), hydrotreated heavy p	paraffinic (64742-54-7)
Bioaccumulative potential	Bioaccumulative potential.
12.4. Mobility in soil	
No additional information available	
	4
12.5. Results of PBT and vPvB assessmen	
Component	
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
No additional information available	
SECTION 12: Disposal consideration	
SECTION 13: Disposal consideration	5
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
•	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
· · · ·	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AD	Ν
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	· · · · · · · · · · · · · · · · · · ·
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830

п	n

Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

Special precautions for user 14.6.

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances	
Other information, restriction and prohibition regulations	 International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015) CAS RN: 64742-54-7 Name: Distillates, petroleum, hydrotreated heavy paraffinic Note(s): aU -This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number. DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-54-7 Name: Distillates, petroleum, hydrotreated heavy paraffinic Canada. Categorization of Existing Substances on DSL (September 2006) CAS RN: 64742-54-7 Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Substance category: UORG Meets CEPA criteria: Yes Human health criteria: Yes Human health priority: High Meets environmental criteria: No Persistent: Yes Bioaccumulative: No
	Inherently toxic to aquatic organisms: No Notes: UVCBs-organic ENCS: not listed
	KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015)

Safety Data Sheet

according to Regulation (EU) 2015/830

CAS RN: 64742-54-7 Name: Distillates (petroleum), hydrotreated heavy paraffinic
Korean ID Number: KE-12546 PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012
CAS RN: 64742-54-7 Name: Distillates (petroleum), hydrotreated heavy paraffinic
TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))
CAS RN: 64742-54-7 Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC
TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)
CAS RN: 64742-54-7
Name: Distillates (petroleum), hydrotreated heavy paraffinic TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-54-7
Name: DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC 1990 HPV Challenge Program Chemical
HPV Indicator Value (see notes): 0 Chemical is a candidate for sponsorship under the HPV Challenge Program
HPV Sponsorship Value (see notes): F Fully Sponsored Chemical . International regulatory information:
AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)
CAS RN: 64742-70-7
Name: Paraffin oils, petroleum, catalytic dewaxed heavy Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of
a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.
DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012- 95-1
Generics group name: PARAFFIN OILS Substance category: UORG
Meets CEPA criteria: Yes Meets human health criteria: Yes
Human health priority: Moderate
Meets environmental criteria: No Persistent: No
Bioaccumulative: No Inherently toxic to aquatic organisms: No
ENCS: not listed
KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015)
Name: Paraffin oils (petroleum), catalytic dewaxed heavy Korean ID Number: KE-27774
PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-70-7
Name: Paraffin oils (petroleum), catalytic dewaxed heavy
TSCA: U.S. Federal, TSCA
TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)
CAS [´] RN: 64742-70-7
Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012- 95-1
Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)
CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012- 95-1
Generics group name: Paraffin oils CAS RN: 64742-70-7
Name: Paraffin oils (petroleum), catalytic dewaxed heavy CAS RN: 64742-70-7
Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY 1990 HPV Challenge Program Chemical
HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F
Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully
Sponsored Chemical.

Safety Data Sheet

according to Regulation (EU) 2015/830 15.1.2. National regulations

Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
- Distillates (petroleum), hydrotreated heavy paraffinic,Phenol, dodecyl-, branched,Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts are listed
- Distillates (petroleum), hydrotreated heavy paraffinic, Phenol, dodecyl-, branched, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl) esters, zinc salts are listed
None of the components are listed
None of the components are listed
None of the components are listed
Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Other information

: It is the user's responsibility to take the mentioned precautionary measures and to ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product