

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue:10/13/2015 Revision date:10/13/2015

Version: 1.0

:

SECTION 1: Identification of the substance	mixture and of the company/	undertaking	
1.1. Product identifier			
Product form : Mixtu			
	C Vulcan 330 SAE 25W-50 CF4		
Product code : 2000	59		
1.2. Relevant identified uses of the substance or	mixture and uses advised against		
1.2.1. Relevant identified uses			
Use of the substance/mixture : Diese	el Engine Oil		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the safety data she	et		
ENOC Marketing L.L.C ENOC House I			
Dubai - United Arab Emirates			
T +971 4 313 4613 - F +971 4 313 4616			
1.4. Emergency telephone number			
Emergency number : +971	43374400		
(busir	ness hours)		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mixture			
Classification according to Regulation (EC) No. 1272/2	2008 [CLP]		
Not classified			
2.2. Label elements			
Labelling according to Regulation (EC) No. 1272/2008	[CLP]		
EUH-statements : EUH2	208 - Contains Calcium petroleum sulfo	nate(61789-86-4)	. May produce an allergic
reacti	on		
2.3. Other hazards			
No additional information available			
SECTION 3: Composition/information on in	gredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Residual oils (petroleum), hydrotreated, Baseoil - unspecified,	(CAS No) 64742-57-0	20.7	Carc. not classified according to

			1272/2008 [CLP]
Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).]	(CAS No) 64742-57-0 (EC no) 265-160-8 (EC index no) 649-470-00-4 (REACH-no) 01-2119489287-22 01- 2119480472-38-0013; 01-2119480472-38	20.7	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)
-Distillates (petroleum), hydrotreated heavy paraffinic	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	3.5	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)

Safety Data Sheet

according to Regulation (EU) 2015/830

Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (ЕС по) 272-028-3 (REACH-no) Not available	0.8	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Calcium petroleum sulfonate	(CAS No) 61789-86-4 (EC no) 263-093-9 (REACH-no) Not available	0.3	Skin Sens. 1, H317

Full text of H-statements: see section 16

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediatel get medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries	: Aspiration of this material may cause chemical pneumonia.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonit Caution if victim vomits: Risk of aspiration!.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of ire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulphur oxides.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.

6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear personal protection equipment.
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.
6.2. Environmental precautions	
Avoid release to the environment Notify outh	aritian if liquid antern anywers or public waters

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
For con	tainment	: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.	
Method	s for cleaning up	: Collect all waste in suitable and labelled containers and dispose according to local legislation	ın.
6.4.	Reference to other sections		
No add	tional information available		

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures. May result in aspiration into the lungs.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/per	sonal protection

8.1.	Control parameters	

No additional information available

Exposure controls 8.2. Appropriate engineering controls : Either local exhaust or general room ventilation is usually required. Personal protective equipment : Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. : Wear suitable protective clothing. Natural fibres (e.g. cotton) Materials for protective clothing : Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through Hand protection time: ≥ 480 min. Eye protection : Use splash goggles when eye contact due to splashing is possible. DIN EN 166 In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better. Respiratory protection :



SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Colour	: amber.
Odour	: Characteristics.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 250 °C (Open Cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.89 g/cm³ @ 15.5°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 19 mm²/s @ 100°C
Viscosity, dynamic	: No data available

Safety Data Sheet

according to Regulation (EU) 2015/830

ccording to Regulation (EU) 2015/830	
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: not oxidizing.
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reac	tivity
10.1. Reactivity	
Stable under normal conditions.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reac	tions
None known under normal conditions of u	ise. No polymerization.
10.4. Conditions to avoid	
Keep away from heat/sparks/open flames	/hot surfaces No smoking.
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition pro	oducts
No hazardous decomposition products kn	
SECTION 11: Toxicological info	
11.1. Information on toxicological e	effects
Acute toxicity	: Not classified
Calcium petroleum sulfonate (61789-8	86-4)
LD50 oral rat	> 20 g/kg
LD50 dermal rabbit	> 4000 mg/kg
-Distillates (petroleum), hydrotreated	heavy paraffinic (64742-54-7)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/m ³
Skin corrosion/irritation	: Not classified
O and a second all and a second final to the se	

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
ENOC Vulcan 330 SAE25W-50 CF4	
Viscosity, kinematic	19 mm²/s @ 100°C

SECTION 12: Ecological information

12.1. Toxicity

Calcium petroleum sulfonate (61789-86-4)	
LC50 fish 1	5.7 - 9.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	1.0 - 10.0 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])
EC50 Daphnia 1	6.2 - 12 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

-Distill	-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability		Inherently biodegradable.	
12.3.	Bioaccumulative potential		

Safety Data Sheet

according to Regulation (EU) 2015/830

-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)					
Bioaccumulative potential	Bioaccumulative potential.				
12.4. Mobility in soil					
No additional information available					
12.5. Results of PBT and vPvB assessmen	x 6				
	I.				
Component	This substance/minimum does not reset the DDT emitarie of DDACU segulation, end on VIII				
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				
12.6. Other adverse effects					
No additional information available					
SECTION 13: Disposal consideration	S				
13.1. Waste treatment methods					
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.				
Waste treatment methods	: Can be incinerated according to local regulations.				
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.				
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils				
SECTION 14: Transport information					
SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / AD					
	//N				
14.1. UN number					
Not regulated for transport					
14.2. UN proper shipping name	· Nationalizable				
Proper Shipping Name (ADR) Proper Shipping Name (IMDG)	: Not applicable : Not applicable				
Proper Shipping Name (IATA)	: Not applicable				
Proper Shipping Name (ADN)	: Not applicable				
Proper Shipping Name (RID)	: Not applicable				
	· · · · · · · · · · · · · · · · · · ·				
14.3. Transport hazard class(es) ADR					
Transport hazard class(es) (ADR)	: Not applicable				
IMDG					
Transport hazard class(es) (IMDG)	: Not applicable				
ΙΑΤΑ					
Transport hazard class(es) (IATA)	: Not applicable				
ADN					
Transport hazard class(es) (ADN)	: Not applicable				
PID.					
RID					
Transport hazard class(es) (RID)	: Not applicable				
14.4. Packing group					
Packing group (ADR)	: Not applicable				
Packing group (IMDG)	: Not applicable				
Packing group (IATA)	: Not applicable				
Packing group (ADN)	: Not applicable				
Packing group (RID)	: Not applicable				
14.5. Environmental hazards					
Dangerous for the environment	: No				
Marine pollutant	: No				
Other information	: No supplementary information available				

Safety Data Sheet

according to Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

International regulatory information:

AICS: Australia. Inventory of Chemical Substances (as amended through 1 September 2015)

- CAS RN: 64742-54-7
 - Name: Distillates, petroleum, hydrotreated heavy paraffinic
- Note(s): aU -This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological
- material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.

DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-54-7

Name: Distillates, petroleum, hydrotreated heavy paraffinic

Canada. Categorization of Existing Substances on DSL (September 2006) CAS RN: 64742-54-7 Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Substance category: UORG

Meets CEPA criteria: Yes

Meets human health criteria: Yes

Human health priority: High

Meets environmental criteria: No

Persistent: Yes

Bioaccumulative: No Inherently toxic to aquatic organisms: No

Notes: UVCBs-organic

ENCS: not listed

KECI: Korea. Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015) CAS RN: 64742-54-7

Name: Distillates (petroleum), hydrotreated heavy paraffinic

- Korean ID Number: KE-12546
- PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012
- CAS RN: 64742-54-7 Name: Distillates (petroleum), hydrotreated heavy paraffinic

TSCA: U.S. Federal, TSCA

TSCA: U.S. Federal, TSCA

TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-54-7

Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-54-7

Name: Distillates (petroleum), hydrotreated heavy paraffinic

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)

ČAS RN: 64742-54-7

CAS RN: 64742-57-0

Name: DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC

1990 HPV Challenge Program Chemical

HPV Indicator Value (see notes): 0 Chemical is a candidate for sponsorship under the HPV Challenge Program

HPV Sponsorship Value (see notes): F Fully Sponsored Chemical

. International regulatory information:

AICS. Australia. Inventory of Chemical Substances (as amended through 1 September 2015)

Safety Data Sheet

according to Regulation (EU) 2015/830

Name: Residual oils, petroleum, hydrotreated Note(s): aU
Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB);
the Australian inventory denotes this by putting an asterisk (*) after the CAS number.
DSL. Canada. Domestic Substances List, as amended through September 23, 2015
CAS RN: 64742-57-0
Name: Residual oils, petroleum, hydrotreated
Canada. Categorization of Existing Substances on DSL (September 2006)
CAS RN: 64742-57-0 may be regulated as a member of the Generics group CAS RN: 8012-95-1
Generics group name: PARAFFIN OILS
Substance category: UORG
Meets CEPA criteria: Yes
Meets human health criteria: Yes
Human health priority: Moderate
Meets environmental criteria: No
Persistent: No
Bioaccumulative: No Inherently toxic to aquatic organisms: No
ENCS. Japan. Inventory of Existing & New Chemical Substances, as amended through July 30, 2015
CAS RN: 64742-57-0
Name: Residual oils (petroleum), hydrotreated (en-US)
Japanese ENCS Number: (9)-1689
Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through June 26, 2015
CAS RN: 64742-57-0
Name: Residual oils (petroleum), hydrotreated (en-US)
Japanese ENCS Number: (9)-1689
Japanese ISHL Number: (9)-1689
Notes: Grandfathered onto ISHL from ENCS according to the Chemical Substance Control Law.
KECI. Korea Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015) CAS RN: 64742-57-0
Name: Residual oils (petroleum), hydrotreated
Korean ID Number: KE-30119
PICCS. Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012
CAS RN: 64742-57-0
Name: Residual oils (petroleum), hydrotreated
U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))
CAS RN: 64742-57-0
Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED
CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1
Generics group name: PARAFFIN OILS
TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1
Generics group name: Paraffin oils
CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated
TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)
CAS RN: 64742-57-0 Name: RESIDUAL OILS, PETROLEUM, HYDROTREATED
1990 HPV Challenge Program Chemical
HPV Indicator Value (see notes): 0
HPV Sponsorship Value (see notes): F
Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program. F Fully Sponsored Chemical.
15.1.2. National regulations

15.1.2. National regulations

: Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, VwVwS Annex reference Annex 4) 12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV Netherlands SZW-lijst van kankerverwekkende stoffen : Zinc alkyl dithiophosphate,-Distillates (petroleum), hydrotreated heavy paraffinic,Calcium petroleum sulfonate, Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).] are listed Zinc alkyl dithiophosphate, -Distillates (petroleum), hydrotreated heavy paraffinic, Residual oils SZW-lijst van mutagene stoffen : (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).] are listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen - Borstvoeding

Germany

Safety Data Sheet

according to Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Other information

: It is the user's responsibility to take the mentioned precautionary measures and to ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Sens. 1	Sensitisation — Skin, Category 1
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product