

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 04/02/2016 Revision date: 04/02/2016

Supersedes:

Version: 1.0

1.1.		ibstance/mixture and of the cor		
Product +	Product identifier	: Mixture		
Product f Frade na		: ENOC Protec Super Plus SL SAE	20\\/_50	
Product		: 210028	2000-30	
loudot		. 210020		
.2.	Relevant identified uses of the su	bstance or mixture and uses advised a	gainst	
.2.1.	Relevant identified uses			
Jse of th	ne substance/mixture	: Petrol Engine Oil		
1.2.2.	Uses advised against			
No addit	ional information available			
1.3.	Details of the supplier of the safe	y data sheet		
	larketing L.L.C			
ENOC H	louse I Jnited Arab Emirates			
	1 313 4613 - F +971 4 313 4616			
-				
1.4.	Emergency telephone number			
Emerger	ncy number	: +97143374400		
		(business hours)		
SECTI	ON 2: Hazards identification			
2.1.	Classification of the substance or	mixture		
Classific	cation according to Regulation (EC	No. 1272/2008 [CLP]		
Not class	sified			
	e physicochemical, human health a	nd environmental effects		
NO addit	ional information available			
2.2.	Label elements			
Labellin	g according to Regulation (EC) No.	1272/2008 [CLP]		
	ling applicable			
No labell				
No labell				
	Other hazards			
2.3.	Other hazards ional information available			
2.3. No addit	ional information available			
2.3. No addit	ional information available ON 3: Composition/informat	ion on ingredients		
2.3. No addit SECTI 3.1.	onal information available ON 3: Composition/informat Substance	ion on ingredients		
2.3. No addit SECTI 3.1.	onal information available ON 3: Composition/informat Substance	ion on ingredients		
2.3. No additi SECTI 3.1. Not appli	onal information available ON 3: Composition/informat Substance	ion on ingredients		
2.3. No additi SECTI 3.1. Not appli	ional information available ON 3: Composition/informat Substance icable	ion on ingredients		
<mark>2.3.</mark> No addit	ional information available ON 3: Composition/informat Substance icable	ion on ingredients	%	Classification according to

		/0	Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	63	Not classified

Safety Data Sheet

according to Regulation (EU) 2015/830

-Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	20	Not classified
Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) Not available	0.1 - 1	Eye Dam. 1, H318 Aquatic Chronic 2, H411

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention. Caution if victim vomits: Risk of aspiration!.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis
4.3. Indication of any immediate medica	Il attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulfur oxides.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.
SECTION 6: Accidental release mea	sures
	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear personal protection equipment.
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2. For emergency responders	. Wear autable protective elething in ease of fire Wear ask contained breathing any article
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if liquid enters sewers or public waters.
6.3. Methods and material for containing	ent and cleaning up
For containment	: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
Mathada fan alaaning un	Collect all waste in switchle and lehalled containers and dispass according to level legislation

Safety Data Sheet

according to Regulation (EU) 2015/830

6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	
SECTION & Eveneouse controlotes	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	: Wear suitable protective clothing. Natural fibres (e.g. cotton)
Hand protection	: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min
Eye protection	: Use splash goggles when eye contact due to splashing is possible. DIN EN 166

Respiratory protection



: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better

SECTION 9: Physical and chemical	properties	
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: brown.	
Odour	: Characteristics.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 250 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.8891 g/mL @ 15°C	
04/02/2016	EN (English)	3/8

Safety Data Sheet

according to Regulation (EU) 2015/830

Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 18.8 mm²/s @ 100°C
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: not oxidizing.
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
Stable u	under normal conditions.
10.2.	Chemical stability
Stable u	under normal conditions.
10.3.	Possibility of hazardous reactions
None kr	nown under normal conditions of use. No polymerization.
10.4.	Conditions to avoid
Keep av	way from heat/sparks/open flames/hot surfaces No smoking.
10.5.	Incompatible materials
Strong of	oxidizing agents.
10.6.	Hazardous decomposition products
	ardous decomposition products known at room temperature.
SECT	ION 11: Toxicological information
11.1.	Information on toxicological effects
Acute to	xicity : Not classified

-Distillates (petroleum), hydrotreated heavy	paraffinic (64742-54-7)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/m³
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
ENOC Protec Super Plus SL SAE 20W-50	
Viscosity, kinematic	18.8 mm²/s @ 100°C

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability Inherently biodegradable.		
12.3. Bioaccumulative potential		
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Bioaccumulative potential Bioaccumulative potential.		

ENOC Protec Super Plus SL SAE 20W-50 Safety Data Sheet

according to Regulation (EU) 2015/830

12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
Component	This substance/mixture does not most the DDT exiteria of DEACU regulation, ennov XIII	
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal consideratio	ns	
13.1. Waste treatment methods		
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.	
Waste treatment methods	: Can be incinerated according to local regulations.	
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.	
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils	
SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / A		
14.1. UN number		
UN-No. (ADR)	: Not applicable	
UN-No. (IMDG)	: Not applicable	
UN-No. (IATA)	: Not applicable	
UN-No. (ADN)	: Not applicable	
UN-No. (RID)	: Not applicable	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: Not applicable	
Proper Shipping Name (IMDG)	: Not applicable	
Proper Shipping Name (IATA)	: Not applicable	
Proper Shipping Name (ADN)		
Proper Shipping Name (RID)	: Not applicable : Not applicable	
	. Not applicable	
14.3. Transport hazard class(es)		
ADR	Materia Parkia	
Transport hazard class(es) (ADR)	: Not applicable	
IMDG		
Transport hazard class(es) (IMDG)	· Not applicable	
	: Not applicable	
ΙΑΤΑ		
Transport hazard class(es) (IATA)	: Not applicable	
ADN		
Transport hazard class(es) (ADN)	: Not applicable	
RID		
Transport hazard class(es) (RID)	: Not applicable	
14.4. Packing group	· Not applicable	
Packing group (ADR)	: Not applicable	
Packing group (IMDG)	: Not applicable	
Packing group (IATA) Packing group (ADN)	: Not applicable : Not applicable	
Packing group (ADN)		
Packing group (RID)	: Not applicable	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available	
04/02/2016	EN (English) 5/8	

Safety Data Sheet

according to Regulation (EU) 2015/830

Special precautions for user 14.6.

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

- : International regulatory information:
- AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)
- CAS RN: 64742-54-7
 - Name: Distillates, petroleum, hydrotreated heavy paraffinic

Note(s): aU -This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory

- denotes this by putting an asterisk (*) after the CAS number.
- DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-54-7
 - Name: Distillates, petroleum, hydrotreated heavy paraffinic
- Canada. Categorization of Existing Substances on DSL (September 2006) CAS RN: 64742-54-7
 - - Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Substance category: UORG
 - Meets CEPA criteria: Yes
 - Meets human health criteria: Yes
 - Human health priority: High
 - Meets environmental criteria: No
 - Persistent: Yes
 - Bioaccumulative: No
 - Inherently toxic to aquatic organisms: No
- Notes: UVCBs-organic

ENCS: not listed

- KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015)
 - CAS RN: 64742-54-7
 - Name: Distillates (petroleum), hydrotreated heavy paraffinic
 - Korean ID Number: KE-12546
- PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-54-7
 - Name: Distillates (petroleum), hydrotreated heavy paraffinic
- TSCA: U.S. Federal, TSCA
- TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-54-7
 - Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC
- TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)
 - CAS RN: 64742-54-7
 - Name: Distillates (petroleum), hydrotreated heavy paraffinic
- TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-54-7
 - Name: DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC 1990 HPV Challenge Program Chemical

Safety Data Sheet

according to Regulation (EU) 2015/830 HPV Indicator Value (see notes): 0 Chemical is a candidate for sponsorship under the HPV Challenge Program HPV Sponsorship Value (see notes): F Fully Sponsored Chemical . International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015) CAS RN: 64742-70-7 Name: Paraffin oils, petroleum, catalytic dewaxed heavy Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number. DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015) Name: Paraffin oils (petroleum), catalytic dewaxed heavy Korean ID Number: KE-27774 PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-70-7 Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy CAS RN: 64742-70-7 Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully Sponsored Chemical. 15.1.2. **National regulations** Germany : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, VwVwS Annex reference

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

Netherlands

SZW-lijst van kankerverwekkende stoffen

- Annex 4)
- : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

: Zinc alkyl dithiophosphate, Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).], -Distillates (petroleum), hydrotreated heavy paraffinic are listed

Safety Data Sheet

according to Regulation (EU) 2015/830

SZW/ liint von mutagona staffan	Zina allud dithianhanhata Daraffin aila (natralaum), aatal tia dawayad haayy. Daacail
SZW-lijst van mutagene stoffen	: Zinc alkyl dithiophosphate,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],-Distillates (petroleum), hydrotreated heavy paraffinic are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal
15.2. Chemical safety assessment	

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

Other information	: It is the user's responsibility to take the mentioned precautionary measures and to ensure that
	this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.
Full text of H- and EUH-statements:	

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product