

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 15/2/2017 Revision date: 15/2/2017

Supersedes:

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product form : Mixture Product name : ENOC PROTEC SUPERIOR SAE 10W-40; API SN Product code : 210055 Relevant identified uses of the substance or mixture and uses advised against 1.2. 1.2.1. Relevant identified uses Use of the substance/mixture : Petrol Engine Oil 1.2.2. Uses advised against No additional information available Details of the supplier of the safety data sheet 1.3. ENOC Marketing L.L.C ENOC House I Dubai - United Arab Emirates T +971 4 313 4613 - F +971 4 313 4616 **Emergency telephone number** 1.4. Emergency number : +97143374400 (business hours) **SECTION 2: Hazards identification** 2.1. **Classification of the substance or mixture** Classification according to Regulation (EC) No. 1272/2008 [CLP] Calculation method Serious eye damage/eye irritation, Category 2 H319 Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H319 - Causes serious eye irritation Precautionary statements (CLP) P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: get medical advice/attention **Other hazards** 2.3.

No additional information available

SECT	SECTION 3: Composition/information on ingredients	
3.1.	Substance	
Not app	licable	
15.2.201	7 EN (English)	1/7

Safety Data Sheet

according to Regulation (EU) 2015/830

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) Not available	0,8 - 1,7	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty o water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediate get medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Jnsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of ire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulfur oxides.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective ed	quipment and emergency procedures
3.1.1. For non-emergency personnel	
5 · · · · · · · · · · · · · · · · · · ·	· Wear personal protection equipment
Protective equipment	: Wear personal protection equipment. Evacuate area. Avoid contact with skin, eves and clothes.
Protective equipment Emergency procedures	Wear personal protection equipment.Evacuate area. Avoid contact with skin, eyes and clothes.
Protective equipment Emergency procedures 6.1.2. For emergency responders	: Evacuate area. Avoid contact with skin, eyes and clothes.
Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Evacuate area. Avoid contact with skin, eyes and clothes. Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	: Evacuate area. Avoid contact with skin, eyes and clothes.
Protective equipment Emergency procedures 6.1.2. For emergency responders	 Evacuate area. Avoid contact with skin, eyes and clothes. Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus. Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to
Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures	 Evacuate area. Avoid contact with skin, eyes and clothes. Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus. Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.
Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions	 Evacuate area. Avoid contact with skin, eyes and clothes. Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus. Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.
Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. Notify authori	 Evacuate area. Avoid contact with skin, eyes and clothes. Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus. Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.

Safety Data Sheet

according to Regulation (EU) 2015/830

6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	: Wear suitable protective clothing. Natural fibres (e.g. cotton)
Hand protection	: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min
Eye protection	: Use splash goggles when eye contact due to splashing is possible. DIN EN 166

Respiratory protection



: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better

SECTION 9: Physical and chemical	properties	
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Colour	: Brown	
Odour	: Characteristics.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 224 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.8690 g/ml @ 15°C	
15.2.2017	EN (English)	3/7

Safety Data Sheet

according to Regulation (EU) 2015/830

Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 14.5 mm²/s @ 100°C
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: not oxidizing.
Explosive limits	: No data available
9.2 Other information	

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
Stable u	under normal conditions.
10.2.	Chemical stability
Stable u	under normal conditions.
10.3.	Possibility of hazardous reactions
None ki	nown under normal conditions of use. No polymerization.
10.4.	Conditions to avoid
Keep av	way from heat/sparks/open flames/hot surfaces No smoking.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological informati	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
ENOC PROTEC SUPERIOR SAE 10W-40; AP	I SN
Viscosity, kinematic	14.5 mm²/s @ 100°C
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	

		_			
No additio	onal	info	ormatio	on av	ailable

12.3.	Bioaccumulative	potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830

12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport information	on
In accordance with ADR / RID / IMDG / IATA	/ ADN
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No

- Overland transport

Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Safety Data Sheet

according to Regulation (EU) 2015/830

Germany

Germany	
VwVwS Annex reference	: Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Zinc alkyl dithiophosphate is listed
SZW-lijst van mutagene stoffen	: Zinc alkyl dithiophosphate is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information Other information : It is the user's responsibility to take mentioned precaution measures and ensure that this

: It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product