

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 01/04/2016 Revision date: 01/04/2016

Version: 1.0

Supersedes:

1.1. Product identifier	
Product form	: Mixture
Product name	ENOC ACTIVE CTF SAE 30
Product code	: 221004
1.2. Relevant identified uses of th	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: Transmission Oil
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	safety data sheet
ENOC Marketing L.L.C ENOC House I Dubai - United Arab Emirates T +971 4 313 4613 - F +971 4 313 4616	
1.4. Emergency telephone numbe	r
Emergency number	: +97143374400 (business hours)
SECTION 2: Hazards identificat	tion
2.1. Classification of the substand	ce or mixture
2.1. Classification of the substance Classification according to Regulation	
Classification according to Regulation	(EC) No. 1272/2008 [CLP]
Classification according to Regulation Serious eye damage/eye irritation, Catego	(EC) No. 1272/2008 [CLP]
Classification according to Regulation	(EC) No. 1272/2008 [CLP]
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal	(EC) No. 1272/2008 [CLP] ory 2 H319
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available	(EC) No. 1272/2008 [CLP] ory 2 H319
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements	(EC) No. 1272/2008 [CLP] ory 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] ory 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements	(EC) No. 1272/2008 [CLP] ory 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] ory 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] ory 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] ory 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	(EC) No. 1272/2008 [CLP] bry 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] bry 2 H319 Ith and environmental effects
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	(EC) No. 1272/2008 [CLP] bry 2 H319 Ith and environmental effects No. 1272/2008 [CLP] Image: Second State St
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	(EC) No. 1272/2008 [CLP] bry 2 H319 th and environmental effects No. 1272/2008 [CLP] T T GHS07 : Warning : H319 - Causes serious eye irritation : P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Hazard statements (CLP) Precautionary statements (CLP)	(EC) No. 1272/2008 [CLP] bry 2 H319 Ith and environmental effects No. 1272/2008 [CLP] Image: Second State St
Classification according to Regulation Serious eye damage/eye irritation, Catego Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	<pre>(EC) No. 1272/2008 [CLP] bry 2 H319 th and environmental effects No. 1272/2008 [CLP]</pre>

#### 3.1. Substance

Not applicable

Safety Data Sheet

#### according to Regulation (EU) 2015/830

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	86.4	Not classified
-Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	7	Not classified
Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) Not available	1.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivatives, calcium salts, overbased	(CAS No) 90480-91-4 (EC no) 291-829-9 (REACH-no) 01-2119524004-5	1.1	Aquatic Chronic 4, H413
Calcium petroleum sulfonate	(CAS No) 61789-86-4 (EC no) 263-093-9 (REACH-no) Not available	0.5	Skin Sens. 1, H317
Phenol, (tetrapropenyl) derivatives	(CAS No) 74499-35-7 (EC no) 616-100-8 (EC index no) 604-092-00-9 (REACH-no) not available	0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.		
4.2. Most important symptoms and effe	cts, both acute and delayed		
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.		
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.		
Symptoms/injuries after eye contact	: May cause eye irritation.		
Symptoms/injuries after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.		
4.3. Indication of any immediate medical attention and special treatment needed			
No additional information available			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.		
Unsuitable extinguishing media	: None known.		
5.2. Special hazards arising from the su	ibstance or mixture		
Fire hazard	: None known.		
Explosion hazard	: None known.		
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulfur oxides.		
5.3. Advice for firefighters			
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.		

Safety Data Sheet

#### according to Regulation (EU) 2015/830

Protective equipment for firefighters

: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.

FILLEC	live equipment for menginers	. Wear proper protective equipment. In case of me, wear sen-contained breathing apparatus.
SEC1	<b>FION 6: Accidental release me</b>	asures
6.1.	Personal precautions, protective e	quipment and emergency procedures
6.1.1.	For non-emergency personnel	
Protec	tive equipment	: Wear personal protection equipment.
Emerg	ency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2.	For emergency responders	
Protec	tive equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emerg	ency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.
6.2.	Environmental precautions	
Avoid	release to the environment. Notify autho	ities if liquid enters sewers or public waters.
6.3.	Methods and material for containr	nent and cleaning up
For co	ntainment	: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
Metho	ds for cleaning up	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
6.4.	Reference to other sections	
No add	ditional information available	
SECT	FION 7: Handling and storage	
7.1.	Precautions for safe handling	
Additic	nal hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
Precau	itions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygier	e measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2.	Conditions for safe storage, inclue	ling any incompatibilities
Storag	e conditions	: Store in a dry, cool and well-ventilated place.
Specia	l rules on packaging	: Keep only in original container.

7.3.Specific end use(s)No additional information available

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
Calcium petroleum sulfonate (61789-86-4)			
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (respirable fraction)	

8.2. Exposure controls	
o.z. Exposure controis	
Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required.
Personal protective equipment	: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
Materials for protective clothing	: Wear suitable protective clothing. Natural fibres (e.g. cotton)
Hand protection	: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min
Eye protection	: Use splash goggles when eye contact due to splashing is possible. DIN EN 166
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Colour	: brown.	
Odour	: Characteristics.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 146 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.8831 g/mL @ 15°C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: 11.2 mm²/s @ 100°C	
Viscosity, dynamic	: No data available	
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.	
Oxidising properties	: not oxidizing.	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		

SECT	ION 10: Stability and reactivity	
10.1.	Reactivity	
Stable u	under normal conditions.	
10.2.	Chemical stability	
Stable ι	under normal conditions.	
10.3.	Possibility of hazardous reactions	
None kr	nown under normal conditions of use. No polymerization.	
10.4.	Conditions to avoid	
Keep av	way from heat/sparks/open flames/hot surfaces No smoking.	
10.5.	Incompatible materials	
Strong oxidizing agents.		
10.6.	Hazardous decomposition products	

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects	S	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	

### Safety Data Sheet

Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
ENOC ACTIVE CTF SAE 30	44.0
Viscosity, kinematic	11.2 mm²/s @ 100°C
SECTION 12: Ecological information	n
12.1. Toxicity	
No additional information available	
42.2 Desciptores and demodelative	
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential No additional information available	
12.4. Mobility in soil No additional information available	
12.5. Results of PBT and vPvB assessm	
Component -Distillates (petroleum), hydrotreated heavy	This substance/mixture does not most the DDT arithms of DDAOU servicetice. and we will
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the correspondin
Waste treatment methods	versions, covering waste and dangerous waste. Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA /	
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG	· Not applicable
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
	: Not applicable
	: Not applicable

### Safety Data Sheet

according to Regulation (EU) 2015/830	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Not applicable	
- Transport by sea	
Not applicable	

- Air transport Not applicable
- Inland waterway transport

Not applicable

- Rail transport

#### Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations	<ul> <li>International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)</li> <li>CAS RN: 64742-54-7 Name: Distillates, petroleum, hydrotreated heavy paraffinic Note(s): aU -This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.</li> <li>DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-54-7 Name: Distillates, petroleum, hydrotreated heavy paraffinic</li> <li>Canada. Categorization of Existing Substances on DSL (September 2006) CAS RN: 64742-54-7 Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: High Meets environmental criteria: No Persistent: Yes Bioaccumulative: No Inherently toxic to aquatic organisms: No</li> <li>Notes: UVCBs-organic</li> </ul>

Safety Data Sheet

according to Regulation (EU) 2015/830	
	ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE
	2015-95, July 1, 2015) CAS RN: 64742-54-7
	Name: Distillates (petroleum), hydrotreated heavy paraffinic Korean ID Number: KE-12546
	PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-54-7
	Name: Distillates (petroleum), hydrotreated heavy paraffinic TSCA: U.S. Federal, TSCA
	TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-54-7
	Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)
	CAS RN: 64742-54-7
	Name: Distillates (petroleum), hydrotreated heavy paraffinic TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06 CAS RN: 64742-54-7
	Name: DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC 1990 HPV Challenge Program Chemical
	HPV Indicator Value (see notes): 0 Chemical is a candidate for sponsorship under the HPV Challenge Program
	HPV Sponsorship Value (see notes): F Fully Sponsored Chemical . International regulatory information:
	AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)
	CAS RN: 64742-70-7 Name: Paraffin oils, petroleum, catalytic dewaxed heavy
	Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.
	DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012
	95-1 Generics group name: PARAFFIN OILS Substance category: UORG
	Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate
	Meets environmental criteria: No Persistent: No
	Bioaccumulative: No Inherently toxic to aquatic organisms: No
	ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE
	2015-95, July 1, 2015) Name: Paraffin oils (petroleum), catalytic dewaxed heavy Korean ID Number: KE-27774
	PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012
	CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy
	TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6,
	2011) CAS RN: 64742-70-7 Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY
	CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012 95-1
	Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012 95-1
	Generics group name: Paraffin oils CAS RN: 64742-70-7
	Name: Paraffin oils (petroleum), catalytic dewaxed heavy CAS RN: 64742-70-7 Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY
	1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0
	HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully

Safety Data Sheet

according to Regulation (EU) 2015/830

Sponsored Chemical.

#### 15.1.2. National regulations

Germany		
VwVwS Annex reference	:	Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	Zinc alkyl dithiophosphate,-Distillates (petroleum), hydrotreated heavy paraffinic,Calcium petroleum sulfonate,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivatives, calcium salts, overbased are listed
SZW-lijst van mutagene stoffen	:	Zinc alkyl dithiophosphate, -Distillates (petroleum), hydrotreated heavy paraffinic, Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Recommendations Danish Regulation	:	The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

#### **SECTION 16: Other information**

Other information

: It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-state	ments:
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H360F	May damage fertility
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

SDS EU (REACH Annex II)

### Safety Data Sheet

#### according to Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product