



# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 7/11/2017

Revision date: 7/11/2017

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : ENOC EN-Cool OAT Extra Longlife 50  
Product code : 223035

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Engine Coolant

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ENOC Marketing L.L.C  
ENOC House I  
P.O. Box 6442  
Dubai - United Arab Emirates  
T +971 4 313 4613 - F +971 4 313 4616

#### 1.4. Emergency telephone number

Emergency number : +97143374400  
(business hours)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Specific target organ toxicity — Repeated exposure, Category 2 H373  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07



GHS08

Signal word (CLP) : Warning  
Hazardous ingredients : ethanediol, ethylene glycol--  
Hazard statements (CLP) : H302 - Harmful if swallowed  
H373 - May cause damage to organs through prolonged or repeated exposure  
Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray  
P264 - Wash hands, forearms and face thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell  
P314 - Get medical advice/attention if you feel unwell  
P330 - Rinse mouth

#### 2.3. Other hazards not contributing to the classification

No additional information available

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol, ethylene glycol	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28	50.2	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	<=48	

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/effects after eye contact	: May cause eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

#### 5.3. Advice for firefighters

Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment	: Wear personal protection equipment.
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.

##### 6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 6.3. Methods and material for containment and cleaning up

- For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
- Methods for cleaning up : Collect all waste in suitable and labelled containers and dispose according to local legislation.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
- Precautions for safe handling : Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothes. Wash contaminated clothing prior to re-use.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a dry, cool and well-ventilated place.
- Special rules on packaging : Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ethanediol, ethylene glycol (107-21-1)		
EU	IOELV TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	40 ppm
Austria	MAK (mg/m <sup>3</sup> )	26 mg/m <sup>3</sup>
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (ppm)	20 ppm
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Cyprus	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Cyprus	OEL TWA (ppm)	20 ppm
Cyprus	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Cyprus	OEL STEL (ppm)	40 ppm
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	26 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> (atomized)
Denmark	Grænseværdie (langvarig) (ppm)	10 ppm
Estonia	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup> (total concentration of aerosol and vapor)
Estonia	OEL TWA (ppm)	20 ppm (total concentration of aerosol and vapor)
Estonia	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup> (total concentration of aerosol and vapor)
Estonia	OEL STEL (ppm)	40 ppm (total concentration of aerosol and vapor)
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
Finland	HTP-arvo (8h) (ppm)	20 ppm
Finland	HTP-arvo (15 min)	100 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min) (ppm)	40 ppm
France	VME (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup> (vapeur)
France	VME (ppm)	20 ppm (vapeur)
France	VLE (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup> (vapeur)
France	VLE (ppm)	40 ppm (vapeur)
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	26 mg/m <sup>3</sup> (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

ethanediol, ethylene glycol (107-21-1)		
Germany	TRGS 900 Occupational exposure limit value (ppm)	10 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	Eight hours mg/m <sup>3</sup>	52 mg/m <sup>3</sup>
Gibraltar	Eight hours ppm	20 ppm
Gibraltar	Short-term mg/m <sup>3</sup>	104 mg/m <sup>3</sup>
Gibraltar	Short-term ppm	40 ppm
Greece	OEL TWA (mg/m <sup>3</sup> )	125 mg/m <sup>3</sup> (vapor)
Greece	OEL TWA (ppm)	50 ppm (vapor)
Greece	OEL STEL (mg/m <sup>3</sup> )	125 mg/m <sup>3</sup> (vapor)
Greece	OEL STEL (ppm)	50 ppm (vapor)
Hungary	AK-érték	52 mg/m <sup>3</sup>
Hungary	CK-érték	104 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (particulate) 52 mg/m <sup>3</sup> (vapour)
Ireland	OEL (8 hours ref) (ppm)	20 ppm (vapour)
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup> (vapour)
Ireland	OEL (15 min ref) (ppm)	40 ppm (particulate)
Italy	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Italy	OEL TWA (ppm)	20 ppm
Italy	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Italy	OEL STEL (ppm)	40 ppm
Latvia	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Latvia	OEL TWA (ppm)	20 ppm
Lithuania	IPRV (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup> (aerosol and vapor)
Lithuania	IPRV (ppm)	10 ppm (aerosol and vapor)
Lithuania	TPRV (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup> (aerosol and vapor)
Lithuania	TPRV (ppm)	20 ppm (aerosol and vapor)
Luxembourg	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Luxembourg	OEL TWA (ppm)	20 ppm
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Luxembourg	OEL STEL (ppm)	40 ppm
Malta	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Malta	OEL TWA (ppm)	20 ppm
Malta	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Malta	OEL STEL (ppm)	40 ppm
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
Poland	NDSch (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Romania	OEL TWA (ppm)	20 ppm
Romania	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Romania	OEL STEL (ppm)	40 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	20 ppm
Slovakia	NPHV (Hraničná) (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Slovenia	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Slovenia	OEL TWA (ppm)	20 ppm
Slovenia	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Slovenia	OEL STEL (ppm)	40 ppm
Spain	VLA-ED (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

ethanediol, ethylene glycol (107-21-1)		
Spain	VLA-ED (ppm)	20 ppm
Spain	VLA-EC (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Spain	VLA-EC (ppm)	40 ppm
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	25 mg/m <sup>3</sup> (aerosol and vapor)
Sweden	nivågränsvärde (NVG) (ppm)	10 ppm (aerosol and vapor)
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup> (aerosol and vapor)
Sweden	kortidsvärde (KTV) (ppm)	40 ppm (aerosol and vapor)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> particulate 52 mg/m <sup>3</sup> vapour
United Kingdom	WEL TWA (ppm)	20 ppm vapour
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup> vapour
United Kingdom	WEL STEL (ppm)	40 ppm vapour
Russian Federation	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (aerosol and vapor)
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (equal to the standard for nuisance dust-dust) 52 mg/m <sup>3</sup> (Total sum of limit values for both vapor and dust)
Norway	Grenseverdier (Kortidsverdi) (ppm)	40 ppm (value from the regulation)
Switzerland	MAK (mg/m <sup>3</sup> )	26 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	10 ppm
Switzerland	KZGW (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Switzerland	KZGW (ppm)	20 ppm
Turkey	OEL TWA (mg/m <sup>3</sup> )	52 mg/m <sup>3</sup>
Turkey	OEL TWA (ppm)	20 ppm
Turkey	OEL STEL (mg/m <sup>3</sup> )	104 mg/m <sup>3</sup>
Turkey	OEL STEL (ppm)	40 ppm
Canada (Quebec)	PLAFOND (mg/m <sup>3</sup> )	127 mg/m <sup>3</sup>
Canada (Quebec)	PLAFOND (ppm)	50 ppm
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	125 mg/m <sup>3</sup>
USA - OSHA	OSHA PEL (TWA) (ppm)	50 ppm

### 8.2. Exposure controls

#### Appropriate engineering controls:

Either local exhaust or general room ventilation is usually required.

#### Personal protective equipment:

Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

#### Materials for protective clothing:

Wear suitable protective clothing. Natural fibres (e.g. cotton)

#### Hand protection:

Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min.

#### Eye protection:

Use splash goggles when eye contact due to splashing is possible. DIN EN 166

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

Colour	: Orange.
Odour	: Characteristics.
Odour threshold	: No data available
pH	: No data available
pH solution	: 7.5 - 9
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -38 °C
Boiling point	: 110 °C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.075 g/ml @ 15°C
Solubility	: Miscible with water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidizing.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None known under normal conditions of use. No polymerization.

### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE CLP (oral)	1470.5882352941 mg/kg bodyweight
----------------	----------------------------------

<b>ethanediol, ethylene glycol-- (107-21-1)</b>	
LD50 oral rat	4700 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

ENOC EN-Cool OAT Extra Longlife 50	
Viscosity, kinematic	14.5 mm <sup>2</sup> /s at 100°C

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

ethanediol, ethylene glycol-- (107-21-1)	
LC50 fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

ethanediol, ethylene glycol-- (107-21-1)	
Log Pow	-1.93

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component	
ethanediol, ethylene glycol-- (107-21-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Product/Packaging disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Not applicable

# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

### - Transport by sea

Not applicable

### - Air transport

Not applicable

### - Inland waterway transport

Not applicable

### - Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

: International regulatory information:

AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 7 March 2017)

CAS RN: 107-21-1, Name: 1,2-Ethanediol

Molecular formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>

DSL: Canada. Domestic Substances List (DSL), as amended through 8 March 2017

CAS RN: 107-21-1, Name: 1,2-Ethanediol

Molecular formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>

Canada. Ontario Inventory (incomplete), based on TSCA Initial Inventory (1979), Appendix A, Chemical Substance Identities, and TSCA Inventory Supplement 1 (1980)

CAS RN: 107-21-1, Name: 1,2-Ethanediol

Molecular formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>

ENCS: Japan. Inventory of Existing & New Chemical Substances (ENCS), as amended through July 29, 2016

CAS RN: 107-21-1, Name: 1,2-Ethanediol (en-US)

Japanese ENCS Number: (2)-230

Molecular formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>, CAS RN: 107-21-1

Notes j2 ENCS synonym. K

KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2016-138, July 13, 2016)

CAS RN: 107-21-1

Name: 1,2-Ethanediol; Ethylene glycol

Korean ID Number: KE-13169

Molecular formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>

PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2014

CAS RN: 107-21-1, Name: DIHYDROXY ETHANE, 1,2-(FIBER GRADE)

TSCA: USA Federal

TSCA Section 8(a) Inventory Update Rule (IUR): Subject to a Special Regulatory Action under TSCA (2002 EPA Instructions, App. B)

CAS RN: 107-21-1, Name: 1,2-Ethanediol

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)

CAS RN: 107-21-1, Name: 1,2-ETHANEDIOL

1990 HPV Challenge Program Chemical

HPV Indicator Value (see notes): 2, 4, HPV Sponsorship Value (see notes): I Notes:

2 Chemical is otherwise being handled under the Organisation for Economic Co-operation and Development (OECD) Screening Information Data Sheet (SIDS) Program. This chemical may be sponsored, however.

4 A company or consortium has had confirmed by the International Council of Chemical Associations (ICCA) their sponsorship of this chemical in the HPV Initiative of the ICCA, and all information essentially equivalent to a Full Commitment under the HPV Challenge Program (i.e., chemical name, CAS number, start year for each chemical, technical contact person and telephone) has been provided to the Agency.

I ICCA Confirmed Commitment Chemical.

#### 15.1.2. National regulations

##### Germany



# ENOC EN-Cool OAT Extra Longlife 50

## Safety Data Sheet

according to Regulation (EU) 2015/830

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Abbreviations and acronyms:

	CLP - Classification, Labelling and Packaging
	EC - European Community
	CSR - Chemical Safety Report
	CAS (Chemical Abstracts Service) number
	PBT - Persistent, Bioaccumulative and Toxic substance
	vPvB - Very Persistent and Very Bioaccumulative
	TSCA - Toxic Substance Control

Other information : It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed
H373	May cause damage to organs through prolonged or repeated exposure

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
STOT RE 2	H373	Calculation method

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*