

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 12/10/2016 Revision date: 12/10/2016 Version: 1.0

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product form	: Mixtures			
Product name	: ENOC Verron CS 00			
Product code	: 224008			
1.2. Relevant identified uses of t	he substance or mixture and uses advised against			
1.2.1. Relevant identified uses				
Use of the substance/mixture	: Grease			
1.2.2. Uses advised against				
No additional information available				
1.3. Details of the supplier of the	safety data sheet			
ENOC Marketing L.L.C				
ENOC House I				
Dubai - United Arab Emirates				
T +971 4 313 4613 - F +971 4 313 4616				
1.4. Emergency telephone numb				
Emergency number	: +97143374400 (business hours)			
SECTION 2: Hazards identifica	ation			
2.1. Classification of the substa	nce or mixture			
Classification according to Regulatio	n (EC) No. 1272/2008 [CLP]			
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Cate	H315 gory 2 H319			
Full text of H statements : see section 16				
Adverse physicochemical, human he No additional information available	alth and environmental effects			
2.2. Label elements				
Labelling according to Regulation (E	C) No. 1272/2008 [CLP]			
Hazard pictograms (CLP)				
	GHS07			
Signal word (CLP)	: Warning			
Hazard statements (CLP)	: H315 - Causes skin irritation H319 - Causes serious eve irritation			
Precautionary statements (CLP)	 P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - IF ON SKIN: Wash with plenty of water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see supplemental first aid instruction on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention 			
2.3. Other hazards				

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	48.8	Not classified (Note L)
Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).]	(CAS No) 64742-57-0 (EC no) 265-160-8 (EC index no) 649-470-00-4 (REACH-no) 01-2119489287-22 01- 2119480472-38-0013; 01-2119480472-38	36	Not classified (Note L)
Lithium hydroxide monohydrate	(CAS No) 1310-66-3 (EC no) 603-454-3	1.4	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl) esters, zinc salts	(CAS No) 68442-22-8 (EC no) 270-478-5 (REACH-no) not available	0.9 - 1.3	Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Fatty acids, vegetable-oil, methyl esters, sulfurized	(CAS No) 72102-30-8 (EC no) 276-337-4 (REACH-no) not available	0.5 - 1	Aquatic Chronic 2, H411

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
4.3. Indication of any immediate medica	I attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
13/10/2016	EN (English) 2/8

Safety Data Sheet

according to Regulation (EU) 2015/830

ccording to Regulation (EU) 2015/830	
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.
SECTION 6: Accidental release mea	isures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear personal protection equipment.
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.
6.2. Environmental precautions	
Avoid release to the environment. Notify author	ities if liquid enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
For containment	: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
Methods for cleaning up	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	

SECTI	ON 8: Exposure controls/personal protection
8.1.	Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Either local exhaust or general room ventilation is usually required.

Personal protective equipment:

Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

Materials for protective clothing:

Wear suitable protective clothing. Natural fibres (e.g. cotton)

Hand protection:

Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min

Eye protection:

Use splash goggles when eye contact due to splashing is possible. DIN EN 166

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better

Safety Data Sheet

according to Regulation (EU) 2015/830



SECTION 9: Physical and chemica	I properties					
Physical state	: Semi Sold					
Colour	: Dark Brown					
Odour	: Characteristics.					
Odour threshold	: No data available					
pH	: No data available					
Relative evaporation rate (butylacetate=1)	: No data available					
Melting point	: No data available					
Freezing point	: No data available					
Boiling point	: No data available					
Flash point	: 200 °C					
Auto-ignition temperature	: No data available					
Decomposition temperature	: No data available					
Flammability (solid, gas)	: No data available					
Vapour pressure	: No data available					
Relative vapour density at 20 °C	: No data available					
Relative density	: No data available					
Density	: 900 kg/m³ @ 15°C					
Solubility	: No data available					
Log Pow	: No data available					
Viscosity, kinematic	: No data available					
Viscosity, dynamic	: No data available					
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.					
Oxidising properties	: not oxidizing.					
Explosive limits	: No data available					
9.2. Other information						

No additional information available

SECT	ION 10: Stability and reactivity			
10.1.	Reactivity			
Stable	under normal conditions.			
10.2.	Chemical stability			
Stable	under normal conditions.			
10.3.	Possibility of hazardous reactions			
None known under normal conditions of use. No polymerization.				
10.4.	Conditions to avoid			
Keep away from heat/sparks/open flames/hot surfaces No smoking.				
10.5.	Incompatible materials			
Strong oxidizing agents.				
10.6.	Hazardous decomposition products			
No haz	ardous decomposition products known at room temperature.			

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
Skin corrosion/irritation	: Causes skin irritation.			
Serious eye damage/irritation	: Causes serious eye irritation.			
Respiratory or skin sensitisation	: Not classified			
Germ cell mutagenicity	: Not classified			
13/10/2016	EN (English)	4/8		

Safety Data Sheet

|--|

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECT	ON 12: Ecological information				
12.1.	Toxicity				
No addit	tional information available				
12.2.	Persistence and degradability				
No addi	tional information available				
12.3.	Bioaccumulative potential				
No addit	tional information available				
12.4.	Mobility in soil				
No addit	tional information available				
12.5.	Results of PBT and vPvB assessment				
No addi	tional information available				
12.6.	Other adverse effects				
No additional information available					
SECT	ON 13: Disposal considerations				
13.1.	Waste treatment methods				
Regiona	l legislation (waste)	Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.			
Waste tr	eatment methods	Can be incinerated according to local regulations.			

: Dispose of this material and its container to hazardous or special waste collection point.

: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

Waste disposal recommendations

European List of Waste (LoW) code

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID			
14.1. UN number							
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated			
14.2. UN proper shippi	ng name	1	1	1			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated			
14.3. Transport hazard class(es)							
Not regulated Not regulated Not regulated Not regulated Not regulated							
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated			
14.4. Packing group							
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated			
14.5. Environmental hazards							
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated			
No supplementary information available							

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated - Air transport

Not regulated

Safety Data Sheet

according to Regulation (EU) 2015/830

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

: International regulatory information:

AICS. Australia. Inventory of Chemical Substances (as amended through 1 September 2015) CAS RN: 64742-57-0

Name: Residual oils, petroleum, hydrotreated

Note(s): aU

Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.

DSL. Canada. Domestic Substances List, as amended through September 23, 2015 CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated

Canada. Categorization of Existing Substances on DSL (September 2006)

- CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1
 - Generics group name: PARAFFIN OILS Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No

ENCS. Japan. Inventory of Existing & New Chemical Substances, as amended through July 30, 2015

CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated (en-US) Japanese ENCS Number: (9)-1689 Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through June 26, 2015 CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated (en-US) Japanese ENCS Number: (9)-1689 Japanese ISHL Number: (9)-1689 Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical

Substance Control Law.

KECI. Korea Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015)

CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated Korean ID Number: KE-30119

PICCS. Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated

U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))

CAS RN: 64742-57-0

Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED

CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1

Generics group name: PARAFFIN OILS

Safety Data Sheet

according to Regulation (EU) 2015/830 TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-57-0 Name: RESIDUAL OILS, PETROLEUM, HYDROTREATED 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program. F Fully Sponsored Chemical . International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015) CAS RN: 64742-70-7 Name: Paraffin oils, petroleum, catalytic dewaxed heavy Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number. DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015) Name: Paraffin oils (petroleum), catalytic dewaxed heavy Korean ID Number: KE-27774 PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN 64742-70-7 Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy CAS RN: 64742-70-7 Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully Sponsored Chemical. 15.1.2. **National regulations**

Germany

VwVwS Annex reference

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

- : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
- : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Safety Data Sheet

according to Regulation (EU) 2015/830

Netherlands

Nethenanas	
SZW-lijst van kankerverwekkende stoffen	: Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).],Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl) esters, zinc salts are listed
SZW-lijst van mutagene stoffen	: Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).],Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and isobutyl) esters, zinc salts are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Other information

: It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:	
Skin Irrit. 2	H315
Eye Irrit. 2	H319

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product