

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 2/8/2018 Revision date: 2/8/2018 Version: 1.0

SECTION 1: Identification of the substance	/mixture and of the company/u	undertakin	q	
1.1. Product identifier			5	
Product form : Mixtu	re			
Product name : ENO	C Krasous BMS Grease 3			
Product code : 2250				
1.2. Relevant identified uses of the substance or	mixture and uses advised against			
1.2.1. Relevant identified uses				
Use of the substance/mixture : High	Temperature Grease			
1.2.2. Uses advised against				
No additional information available				
1.3. Details of the supplier of the safety data she	et			
ENOC Marketing L.L.C				
ENOC House I				
P.O. Box 6442				
Dubai - United Arab Emirates				
T +971 4 313 4613 - F +971 4 313 4616				
1.4. Emergency telephone number				
	43374400			
(busin	ness hours)			
SECTION 2: Hazards identification				
2.1. Classification of the substance or mixture				
Classification according to Regulation (EC) No. 1272/2				
<b>ö ö</b> ( <i>)</i>				
Not classified				
Adverse physicochemical, human health and environ	mental effects			
No additional information available				
2.2. Label elements				
Labelling according to Regulation (EC) No. 1272/2008 EUH-statements : EUH2	208 - Contains . May produce an allergic	reaction		
	to - Contains . May produce an allergic	Teaclion.		
2.3. Other hazards not contributing to the classif	ication			
No additional information available				
SECTION 3: Composition/information on in	aradiante			
3.1. Substances	greatents			
Not applicable				
Not applicable				
3.2. Mixtures				
Name	Product identifier	%	Classification according to	
		70	Regulation (EC) No.	
			1272/2008 [CLP]	
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained	(CAS-No.) 64742-70-7 (EC-No.) 265-174-4	81.4	Carc. Not classified	
from a catalytic dewaxing process. It consists predominantly of	(EC Index-No.) 649-477-00-2			
hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a	(REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025;			
viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	01-2119484627-25 01-2119471299-27-			
	0019; 01-2119471299-27			

# Safety Data Sheet

according to Regulation (EU) 2015/830

Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts with bentonite	(CAS-No.) 68953-58-2 (EC-No.) 273-219-4	15	Not classified
Molybdenum(IV) sulfide	(CAS-No.) 1317-33-5 (EC-No.) 215-263-9	1.5	Not classified
Propylene carbonate	(CAS-No.) 108-32-7 (EC-No.) 203-572-1 (EC Index-No.) 607-194-00-1	1.5	Eye Irrit. 2, H319
Solvent naphtha (petroleum), heavy aromatic	(CAS-No.) 64742-94-5 (EC-No.) 265-198-5 (EC Index-No.) 649-424-00-3	0.36	Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty o water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediate get medical attention.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects	: Aspiration of this material may cause chemical pneumonia.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/effects after eye contact	: May cause eye irritation.
Symptoms/effects after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumoni Caution if victim vomits: Risk of aspiration!.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulphur oxides.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear personal protection equipment.
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

2/0/2010			EN (English)
Methods	for cleaning up	:	Collect all waste in suitable and labelled containers and dispose according to local legislation.
For conta	ainment	:	Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
6.3.	Methods and material for containment and cleaning up		

# Safety Data Sheet

according to Regulation (EU) 2015/830

6.4. Reference to other sections		
No additional information available		
<b>SECTION 7: Handling and storage</b>	e	
7.1. Precautions for safe handling		
Additional hazards when processed	<ul> <li>Handling this product may result in electrostatic accumulation. Use proper grounding procedures. May result in aspiration into the lungs.</li> </ul>	
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothes. Wash contaminated clothing prior to re-use.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a dry, cool and well-ventilated place.	
Special rules on packaging	: Keep only in original container.	

### 7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Propylene carbonate (108-32-7)				
Latvia	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>		
Lithuania	IPRV (mg/m³)	7 mg/m³		

#### 8.2. Exposure controls

### Appropriate engineering controls:

Either local exhaust or general room ventilation is usually required.

### Personal protective equipment:

Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

### Materials for protective clothing:

Wear suitable protective clothing. Natural fibres (e.g. cotton)

### Hand protection:

Wear suitable gloves tested to EN 374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min.

### Eye protection:

Use splash goggles when eye contact due to splashing is possible. DIN EN 166

### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better.

### Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties	
9.1. Information on basic physical a	ind chemical properties
Physical state	: Semi Solid
Colour	: Black Gray
Odour	: Characteristics.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 260°C
Freezing point	: 250 °C

# Safety Data Sheet

according to Regulation (EU) 2015/830

Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 900 kg/m³ @ 15.5°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: Not oxidizing.
Explosive limits	: No data available

## 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity				
10.1. Reactivity				
Stable under normal conditions.				
10.2. Chemical stability				
Stable under normal conditions.				
10.3. Possibility of hazardous reactions				
None known under normal conditions of use. No polymerization.				
10.4. Conditions to avoid				
Keep away from heat/sparks/open flames/hot surfaces No smoking.				
10.5. Incompatible materials				
Strong oxidizing agents.				
10.6. Hazardous decomposition products				

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Solvent naphtha (petroleum), heavy aromatic	: (64742-94-5)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2 ml/kg	
LC50 inhalation rat (mg/l)	> 590 mg/m <sup>3</sup> (Exposure time: 4 h)	
Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts with bentonite (68953-58-2)		
LD50 oral rat	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	> 12.6 mg/l/4h	
Propylene carbonate (108-32-7)		
LD50 oral rat	29000 mg/kg	
LD50 dermal rabbit	> 3000 mg/kg	
Molybdenum(IV) sulfide (1317-33-5)		
LC50 inhalation rat (mg/l)	> 2820 mg/m <sup>3</sup> (Exposure time: 4 h)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

# Safety Data Sheet

according to Regulation (EU) 2015/830

Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information	
SECTION 12: Ecological information 12.1. Toxicity	
	: Not classified
Chronic aquatic toxicity	: Not classified
Promulana carbonata (109 22 7)	
Propylene carbonate (108-32-7)	> 1000 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 1	<ul> <li>&gt; 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> </ul>
EC50 72h algae (1)	> 500 mg/l (Species: Desmodesmus subspicatus)
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Propylene carbonate (108-32-7)	
Log Pow	0.48 (at 25 °C)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	t de la constante d
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	3
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Product/Packaging disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADI	N

In accordance with ADR / RID / IMDG / IATA / ADN							
ADR	IMDG	IATA	ADN	RID			
14.1. UN number							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.2. UN proper shipping name							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(es)							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.4. Packing group							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
No supplementary information available							

# 14.6. Special precautions for user

## - Overland transport

Not applicable

### - Transport by sea

## Safety Data Sheet

according to Regulation (EU) 2015/830

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations	International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September
	2015) CAS RN: 64742-70-7
	Name: Paraffin oils, petroleum, catalytic dewaxed heavy
	Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.
	DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012- 95-1
	Generics group name: PARAFFIN OILS Substance category: UORG
	Meets CEPA criteria: Yes
	Meets human health criteria: Yes
	Human health priority: Moderate
	Meets environmental criteria: No
	Persistent: No
	Bioaccumulative: No
	Inherently toxic to aquatic organisms: No
	ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE
	2015-95, July 1, 2015)
	Name: Paraffin oils (petroleum), catalytic dewaxed heavy
	Korean ID Number: KE-27774
	PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-70-7
	Name: Paraffin oils (petroleum), catalytic dewaxed heavy
	TSCA: U.S. Federal, TSCA
	TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)
	CAS RN: 64742-70-7
	Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-
	95-1
	Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)
	CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-
	95-1
	Generics group name: Paraffin oils CAS RN: 64742-70-7
	Name: Paraffin oils (petroleum), catalytic dewaxed heavy
	CAS RN: 64742-70-7
	Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY
	1990 HPV Challenge Program Chemical
	HPV Indicator Value (see notes): 0
	HPV Sponsorship Value (see notes): F
	Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully

Safety Data Sheet

according to Regulation (EU) 2015/830

Sponsored Chemical.

#### 15.1.2. National regulations

Germany		
Reference to AwSV		Water hazard class (WGK) 3, severe hazard to waters (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	:	Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Solvent naphtha (petroleum), heavy aromatic,Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts with bentonite are listed
SZW-lijst van mutagene stoffen	:	Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Solvent naphtha (petroleum), heavy aromatic,Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts with bentonite are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	:	None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	:	None of the components are listed

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

# **SECTION 16: Other information**

Other information

: It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. Not classified	Carcinogenicity Not classified		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H304	May be fatal if swallowed and enters airways.		
H319	Causes serious eye irritation.		
H411	Toxic to aquatic life with long lasting effects.		
EUH208	Contains . May produce an allergic reaction.		

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product