

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 11/30/2015 Revision date: 11/30/2015

Supersedes:

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Product form : Mixture : ENOC AXIS ZF HVI 46 Product name Product code : 240062 1.2. Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** 1.2.1. Use of the substance/mixture : Hydraulic Oil 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet ENOC Marketing L.L.C ENOC House I Dubai - United Arab Emirates T +971 4 313 4613 - F +971 4 313 4616 **Emergency telephone number** 1.4. Emergency number : +97143374400 (business hours) **SECTION 2: Hazards identification** 2.1. **Classification of the substance or mixture** Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable 2.3. **Other hazards** No additional information available SECTION 3: Composition/information on ingredients 3.1. Substance Not applicable 3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	93.5	Carc. not classified according to note L of CLP (contains less than 3 % DMSO extract)
2,6-Di-tert-butylphenol	(CAS No) 128-39-2 (EC no) 204-884-0	0.2	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EU) 2015/830

Zinc alkyl dithiophosphate	(CAS No) 68649-42-3 (EC no) 272-028-3 (REACH-no) Not available	0.3 – 0.4	Eye Dam. 1, H318 Aquatic Chronic 2, H411
----------------------------	--	-----------	---

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	 Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.
Symptoms/injuries after eye contact	: May cause eye irritation.
4.3. Indication of any immediate medica	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: None known.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulfur oxides.
5.3. Advice for firefighters	
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear personal protection equipment.
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to
G () ()	disperse vapours. Do not touch spilled material.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ies if liquid enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	 Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.
Methods for cleaning up	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.

Safety Data Sheet

according to Regulation (EU) 2015/830

Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.
7.2. Conditions for safe stor	age, including any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure con	trols/personal protection
8.1. Control parameters	
o.r. control parameters	

2,6-Di-tert-butylphenol (128-39-2)		
USA - ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³
USA - OSHA	OSHA PEL (TWA) (mg/m³)	10 mg/m³ Total dust

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.	
Personal protective equipment : Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.	
Materials for protective clothing : Wear suitable protective clothing. Natural fibres (e.g. cotton)	
Hand protection: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min	

: Use splash goggles when eye contact due to splashing is possible. DIN EN 166

: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better



Eye protection

Respiratory protection

SECTION 9: Physical and chemica	I properties	
9.1. Information on basic physical and		
Physical state	: Liquid	
Colour	: amber.	
Odour	: Characteristics.	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 218 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.8798 g/cm³ @ 15.5°C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: 46 mm²/s @ 40°C	
Viscosity, dynamic	: No data available	
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.	
Oxidising properties	: not oxidizing.	
40/7/0045		0/7

Safety Data Sheet

according to Regulation (EU) 2015/830

	ve limits	: No data available
9.2.	Other information	
√o addit	tional information available	
SECTI	ION 10: Stability and reactivity	
10.1.	Reactivity	
Stable u	under normal conditions.	
10.2.	Chemical stability	
	under normal conditions.	
10.3.	Possibility of hazardous reactions	
	nown under normal conditions of use. No p	olymerization.
10.4.	Conditions to avoid	
Keep aw	way from heat/sparks/open flames/hot surf	aces No smoking.
10.5.	Incompatible materials	
Strong c	oxidizing agents.	
10.6.	Hazardous decomposition products	
No haza	ardous decomposition products known at re	oom temperature.

SECTION TT: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
2,6-Di-tert-butylphenol (128-39-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 10 g/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
ENOC AXIS ZF HVI 46	
Viscosity, kinematic	46 mm²/s @ 40°C

SECTION 12: Ecological information				
12.1. Toxicity				
2,6-Di-tert-butylphenol (128-39-2)				
EC50 Daphnia 1		0.45 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
NOEC (chronic)		0.035 mg/l (Exposure time: 21 d - Species: Daphnia magna)		
12.2. Persistence and	d degradability			
No additional information a	available			
12.3. Bioaccumulativ	3. Bioaccumulative potential			
No additional information available				
12.4. Mobility in soil	Mobility in soil			
No additional information available				
12.5. Results of PBT	5. Results of PBT and vPvB assessment			
No additional information available				
12.6. Other adverse	.6. Other adverse effects			
No additional information available				

Safety Data Sheet

according to Regulation (EU) 2015/830

ccording to Regulation (EU) 2015/830	
SECTION 13: Disposal considera	ations
13.1. Waste treatment methods	
Regional legislation (waste)	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport informat	
In accordance with ADR / RID / IMDG / IAT	A / ADN
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	Alet en Parkin
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Not applicable	
- Transport by sea	
Not applicable	
- Air transport	
Not applicable	
12/7/2015	EN (English) 5/1

Safety Data Sheet

according to Regulation (EU) 2015/830

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition : International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September regulations 2015) CAS RN: 64742-70-7 Name: Paraffin oils, petroleum, catalytic dewaxed heavy Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number. DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015) Name: Paraffin oils (petroleum), catalytic dewaxed heavy Korean ID Number: KE-27774 PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-70-7 Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy CAS RN: 64742-70-7 Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully Sponsored Chemical.

Safety Data Sheet

according to Regulation (EU) 2015/830

Germany	
VwVwS Annex reference	: Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Zinc alkyl dithiophosphate,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] are listed
SZW-lijst van mutagene stoffen	: Zinc alkyl dithiophosphate,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Abbreviations and acronyms:

CAS - Chemical Abstracts Service
CLP - Classification, Labelling and Packaging
CSR - Chemical Safety Report
EC - European Community
EEC - European Economic Community
PBT - Persistent, Bioaccumulative and Toxic substance

Other information

: It is the user's responsibility to take the mentioned precautionary measures and to ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H318	Causes serious eye damage
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product