

# **ENOC CIRCULA RO 68**

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 26/4/2016 Revision date: 26/4/2016

Version: 1.0

Supersedes:

SECT		bstance/mixture and of the compa	ny/undertaking	
l.1.	Product identifier			
Product		: Mixture		
Product		: ENOC CIRCULA RO 68		
Product	code	: 247003		
.2.	Relevant identified uses of the sul	bstance or mixture and uses advised agains	st	
1.2.1.	Relevant identified uses			
Jse of t	he substance/mixture	: Circulating Oil		
1.2.2.	Uses advised against			
No addi	tional information available			
1.3.	Details of the supplier of the safet	y data sheet		
ENOC I Dubai -	Marketing L.L.C House I United Arab Emirates 4 313 4613 - F +971 4 313 4616			
1.4.	Emergency telephone number			
Emerge	ncy number	: +97143374400 (business hours)		
SECT	ION 2: Hazards identification			
2.1.	Classification of the substance or	mixture		
Classifi	ication according to Regulation (EC)	No. 1272/2008 [CLP]		
Not clas	ssified			
	e physicochemical, human health ar tional information available	nd environmental effects		
2.2.	Label elements			
	ng according to Regulation (EC) No. Iling applicable	1272/2008 [CLP]		
2.3.	Other hazards			
No addi	tional information available			
SECT	ION 3: Composition/informati	ion on ingredients		
s.1.	Substance			
lot app	licable			
3.2.	Mixture			
Name		Product identifier	%	Classification according to

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	73,9	Not classified

### Safety Data Sheet

according to Regulation (EU) 2015/830

-Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	25,8	Not classified
Solvent naphtha (petroleum), heavy aromatic	(CAS No) 64742-94-5 (EC no) 265-198-5 (EC index no) 649-424-00-3	0,15	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately get medical attention.	
4.2. Most important symptoms and effect	ts, both acute and delayed	
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. May cause drowsiness or dizziness.	
Symptoms/injuries after skin contact	: Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue damage. May cause skin irritation / dermatitis.	
Symptoms/injuries after eye contact	: May cause eye irritation.	
Symptoms/injuries after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.	
4.3. Indication of any immediate medical	attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: carbon dioxide (CO2), water, dry chemical powder.	
Unsuitable extinguishing media	: None known.	
5.2. Special hazards arising from the sul	ostance or mixture	
Fire hazard	: None known.	
Explosion hazard	: None known.	
Hazardous decomposition products in case of fire	: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Aldehydes. Sulfur oxides.	
5.3. Advice for firefighters		
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.	
Protective equipment for firefighters	: Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.	
SECTION 6: Accidental release meas		
6.1. Personal precautions, protective eq		
	aipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear personal protection equipment.	
Emergency procedures	: Evacuate area. Avoid contact with skin, eyes and clothes.	
6.1.2. For emergency responders		
Protective equipment	: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus.	
Emergency procedures	: Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to disperse vapours. Do not touch spilled material.	
6.2. Environmental precautions		
Avoid release to the environment. Notify authoriti	es if liquid enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
For containment	: Clean up any spills as soon as possible, using an absorbent material to collect it. For larger spills, dike area and pump into waste containers.	
Methods for cleaning up	: Collect all waste in suitable and labelled containers and dispose according to local legislation.	

Safety Data Sheet

#### according to Regulation (EU) 2015/830

6.4. Reference to other sections	
No additional information available	
<b>SECTION 7: Handling and stora</b>	ge
7.1. Precautions for safe handling	
Additional hazards when processed	: Handling this product may result in electrostatic accumulation. Use proper grounding procedures.
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Hygiene measures	<ul> <li>Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Handle in accordance with good industrial hygiene and safety practices. Take off contaminated clothes. Wash contaminated clothing prior to re-use.</li> </ul>
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3. Specific end use(s)	
No additional information available	

SECTION 6. Exposure controls/personal protection		
8.1. Control param	neters	
Solvent naphtha (petr	oleum), heavy aromatic (64742-94-5)	
USA - ACGIH	ACGIH TWA (ppm)	10 ppm
USA - ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

### 8.2. Exposure controls

Appropriate engineering controls
Personal protective equipment

Materials for protective clothing

Hand protection

Eye protection

Respiratory protection



- : Either local exhaust or general room ventilation is usually required.
- : Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.
- : Wear suitable protective clothing. Natural fibres (e.g. cotton)
- : Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through time: ≥ 480 min
- : Use splash goggles when eye contact due to splashing is possible. DIN EN 166

: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A/P2 filter or better

<b>SECTION 9: Physical and chemical</b>	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Colour	: Brown
Odour	: Characteristics.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 240 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
07/4/0040	

### Safety Data Sheet

according to Regulation (EU) 2015/830

Relative density	: No data available
Density	: 0.8726 g/mL @ 15°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 68 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. However, formation of explosive air/vapour mixtures are possible.
Oxidising properties	: not oxidizing.
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
Stable u	Inder normal conditions.
10.2.	Chemical stability
Stable u	inder normal conditions.
10.3.	Possibility of hazardous reactions
None kr	nown under normal conditions of use. No polymerization.
10.4.	Conditions to avoid
Keep av	vay from heat/sparks/open flames/hot surfaces No smoking.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Solvent naphtha (petroleum), heavy aromatic	: (64742-94-5)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2 ml/kg	
LC50 inhalation rat (mg/l)	> 590 mg/m <sup>3</sup> (Exposure time: 4 h)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
ENOC CIRCULA RO 68		
Viscosity, kinematic	68 mm²/s @ 40°C	

SECTION	DN 12: Ecological information
10.4	
12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available

Safety Data Sheet

according to Regulation (EU) 2015/830

according to Regulation (EU) 2015/830	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessmen	
Component	
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	: Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding
(waste)	versions, covering waste and dangerous waste.
Waste treatment methods	: Can be incinerated according to local regulations.
Waste disposal recommendations	: Dispose of this material and its container to hazardous or special waste collection point.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils
SECTION 14: Transport information	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / AD	
14.1. UN number	
	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
	: Not applicable
Transport flazaru class(es) (IATA)	
ADN	
	: Not applicable
	· · · · · · · · · · · · · · · · · · ·
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
	: Not applicable
Packing group (ADR) Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
	: Not applicable
14.5. Environmental hazards	
0	: No
	No
Other information	: No supplementary information available

EN (English)

Safety Data Sheet

according to Regulation (EU) 2015/830

#### 14.6. Special precautions for user

#### - Overland transport

Not applicable

- Transport by sea

Not applicable

#### - Air transport

Not applicable

- Inland waterway transport Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

regulations

### SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition : International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 2 February 2016) CAS RN: 64742-94-5, Name: Solvent naphtha, petroleum, heavy arom. Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (\*) after the CAS number. DSL: Canada. Domestic Substances List (DSL), as amended through February 10, 2016 CAS RN: 64742-94-5, Name: Solvent naphtha, petroleum, heavy arom. Canada. Ontario Inventory (incomplete), based on TSCA Initial Inventory (1979), Appendix A, Chemical Substance Identities, and TSCA Inventory Supplement 1 (1980) CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy arom. Molecular formula: Unspecified Substance definition: A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165°C to 290°C (330°F to 554°F) ENCS: Japan. Inventory of Existing & New Chemical Substances (ENCS), as amended through July 30, 2015 CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy aromatic (en-US) Japanese ENCS Number: (3)-7 Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through September 25, 2015 CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy aromatic (en-US) Japanese ENCS Number: (3)-7 Japanese ISHL Number: (3)-7 Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical Substance Control Law ('Kashinho'). KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2016-15, January 19, 2016) CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy arom. Korean ID Number: KE-31656PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 68037-01-4, Name: 1-Decene, homopolymer, hydrogenated TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-94-5, Name: SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8008-20-6, Generics group name: KEROSINE (PETROLEUM), CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8030-30-6, Generics group name: NĂPHTHA

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6,

Safety Data Sheet

according to Regulation (EU) 2015/830

2011) CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy arom. CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8008-20-6 Generics group name: Kerosine (petroleum) CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8030-30-6 Generics group name: Naphtha TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-94-5, Name: SOLVENT NAPHTHA, PETROLEUM, HEAVY AROM. 1990 HPV Challenge Program Chemical, HPV Indicator Value (see notes): 2, 4 HPV Sponsorship Value (see notes): F, I CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8008-20-6 Generics group name: KEROSINE, PETROLEUM, 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0, HPV Sponsorship Value (see notes): F CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8030-30-6 Generics group name: NAPHTHA, 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0, HPV Sponsorship Value (see notes): F Notes Chemical is a candidate for sponsorship under the HPV Challenge Program. 0 Chemical is otherwise being handled under the Organisation for Economic Co-2 operation and Development (OECD) Screening Information Data Sheet (SIDS) Program. This chemical may be sponsored, however. A company or consortium has had confirmed by the International Council of Chemical Associations (ICCA) their sponsorship of this chemical in the HPV Initiative of the ICCA, and all information essentially equivalent to a Full Commitment under the HPV Challenge Program (i.e., chemical name, CAS number, start year for each chemical, technical contact person and telephone) has been provided to the Agency. Fully Sponsored Chemical ICCA Confirmed Commitment Chemical . International regulatory information: AICS. Australia. Inventory of Chemical Substances (as amended through 1 September 2015) CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated Note(s): aU Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (\*) after the CAS number. DSL. Canada. Domestic Substances List, as amended through September 23, 2015 CAS RN: 64742-57-0 Name: Residual oils, petroleum, hydrotreated Canada. Categorization of Existing Substances on DSL (September 2006)

CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1

N: 8012-95-1

Generics group name: PARAFFIN OILS

Substance category: UORG Meets CEPA criteria: Yes

Meets human health criteria: Yes

Human health priority: Moderate

Meets environmental criteria: No

Persistent: No

Bioaccumulative: No

Inherently toxic to aquatic organisms: No

ENCS. Japan. Inventory of Existing & New Chemical Substances, as amended through July 30, 2015

CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated (en-US)

Japanese ENCS Number: (9)-1689

Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through June 26, 2015

CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated (en-US)

Japanese ENCS Number: (9)-1689 Japanese ISHL Number: (9)-1689

Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical

Substance Control Law.

KECI. Korea Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015)

CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated Korean ID Number: KE-30119

PICCS. Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012

Safety Data Sheet

according to Regulation (EU) 2015/830

Name: Residual oils (petroleum), hydrotreated U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CÁS RN: 64742-57-0 Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-57-0 Name: RESIDUAL OILS, PETROLEUM, HYDROTREATED 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program. F Fully Sponsored Chemical . International regulatory information: AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015) CAS RN: 64742-70-7 Name: Paraffin oils, petroleum, catalytic dewaxed heavy Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (\*) after the CAS number. DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No Persistent: No Bioaccumulative: No Inherently toxic to aquatic organisms: No ENCS: not listed KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015) Name: Paraffin oils (petroleum), catalytic dewaxed heavy Korean ID Number: KE-27774 PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012 CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy TSCA: U.S. Federal, TSCA TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011) CAS RN: 64742-70-7 Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: PARAFFIN OILS TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1 Generics group name: Paraffin oils CAS RN: 64742-70-7 Name: Paraffin oils (petroleum), catalytic dewaxed heavy CAS RN: 64742-70-7 Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully

CAS RN: 64742-57-0

Sponsored Chemical.

Safety Data Sheet

according to Regulation (EU) 2015/830

#### 15.1.2. National regulations

#### Germany

VwVwS Annex reference

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

Immission Control Act - 12.BImSchV	
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: -Distillates (petroleum), hydrotreated heavy paraffinic,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Solvent naphtha (petroleum), heavy aromatic are listed
SZW-lijst van mutagene stoffen	: -Distillates (petroleum), hydrotreated heavy paraffinic,Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Solvent naphtha (petroleum), heavy aromatic are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Recommendations Danish Regulation	: The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

Annex 4)

#### SECTION 16: Other information

: It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

: Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS,

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H304	May be fatal if swallowed and enters airways	
H336	May cause drowsiness or dizziness	
H411	Toxic to aquatic life with long lasting effects	

#### SDS EU (REACH Annex II)

Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product