

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 26/4/2016 Revision date: 26/4/2016 Supersedes: Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ENOC CIRCULA RO 220

Product code : 247005

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Circulating Oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ENOC Marketing L.L.C ENOC House I

Dubai - United Arab Emirates

T+971 4 313 4613 - F+971 4 313 4616

1.4. Emergency telephone number

Emergency number : +97143374400 (business hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	50	Not classified

27/4/2016 EN (English) 1/9

Safety Data Sheet

according to Regulation (EU) 2015/830

Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).] (Note L)	(CAS No) 64742-57-0 (EC no) 265-160-8 (EC index no) 649-470-00-4 (REACH-no) 01-2119489287-22 01- 2119480472-38-0013; 01-2119480472-38	49,7	Not classified
Solvent naphtha (petroleum), heavy aromatic	(CAS No) 64742-94-5 (EC no) 265-198-5 (EC index no) 649-424-00-3	0,15	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing

First-aid measures after skin contact Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of

water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately First-aid measures after ingestion

get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue

damage. May cause skin irritation / dermatitis.

Symptoms/injuries after eye contact : May cause eye irritation.

Symptoms/injuries after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), water, dry chemical powder.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard None known Explosion hazard : None known.

: Hazardous decomposition products may be released during prolonged heating like smokes, Hazardous decomposition products in case of

fire

carbon monoxide and dioxide. Aldehydes. Sulfur oxides.

Advice for firefighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray.

Protective equipment for firefighters : Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Protective equipment : Wear personal protection equipment.

Emergency procedures : Evacuate area. Avoid contact with skin, eyes and clothes.

For emergency responders 6.1.2.

: Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus. Protective equipment

Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to **Emergency procedures**

disperse vapours. Do not touch spilled material.

Environmental precautions 6.2.

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. For larger

spills, dike area and pump into waste containers.

27/4/2016 EN (English) 2/9

Safety Data Sheet

according to Regulation (EU) 2015/830

Methods for cleaning up : Collect all waste in suitable and labelled containers and dispose according to local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handling this product may result in electrostatic accumulation. Use proper grounding

procedures.

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity

discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practices. Take off contaminated

clothes. Wash contaminated clothing prior to re-use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place.

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Solvent naphtha (petroleum), heavy aromatic (64742-94-5)		
USA - ACGIH	ACGIH TWA (ppm)	10 ppm
USA - ACGIH	ACGIH STEL (mg/m³)	10 mg/m³

8.2. Exposure controls

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

Personal protective equipment : Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

Materials for protective clothing : Wear suitable protective clothing. Natural fibres (e.g. cotton)

Hand protection : Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through

time: ≥ 480 min

Eye protection : Use splash goggles when eye contact due to splashing is possible. DIN EN 166

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to

EN140 with Type A/P2 filter or better







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Brown

Odour
Odour
Odour threshold
Delta available
PH
Relative evaporation rate (butyl acetate=1)
Melting point
Freezing point
Boiling point
Characteristics.
No data available

Flash point : 210 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available

27/4/2016 EN (English) 3/9

Safety Data Sheet

according to Regulation (EU) 2015/830

Relative vapour density at 20 °C : No data available
Relative density : No data available
Density : 0.8836 g/mL @ 15°C
Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : 220 mm²/s @ 40°C
Viscosity, dynamic : No data available

Explosive properties : Not explosive. However, formation of explosive air/vapour mixtures are possible.

Oxidising properties : not oxidizing.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known under normal conditions of use. No polymerization.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Solvent naphtha (petroleum), heavy aromatic (64742-94-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2 ml/kg
LC50 inhalation rat (mg/l)	> 590 mg/m³ (Exposure time: 4 h)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard : Not classified

E	ENOC CIRCULA RO 220	
Vi	iscosity, kinematic	220 mm²/s @ 40°C

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

27/4/2016 EN (English) 4/9

Safety Data Sheet

according to Regulation (EU) 2015/830

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding

versions, covering waste and dangerous waste.

Waste treatment methods : Can be incinerated according to local regulations.

Waste disposal recommendations : Dispose of this material and its container to hazardous or special waste collection point.

European List of Waste (LoW) code : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

27/4/2016 EN (English) 5/9

Safety Data Sheet

according to Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

: International regulatory information:

AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 2 February 2016)

CAS RN: 64742-94-5, Name: Solvent naphtha, petroleum, heavy arom.

Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.

DSL: Canada. Domestic Substances List (DSL), as amended through February 10, 2016

CAS RN: 64742-94-5, Name: Solvent naphtha, petroleum, heavy arom.

Canada. Ontario Inventory (incomplete), based on TSCA Initial Inventory (1979), Appendix A, Chemical Substance Identities, and TSCA Inventory Supplement 1 (1980)

CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy arom.

Molecular formula: Unspecified

Substance definition: A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165°C to 290°C (330°F to 554°F).

ENCS: Japan. Inventory of Existing & New Chemical Substances (ENCS), as amended through July 30, 2015

CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy aromatic (en-US) Japanese ENCS Number: (3)-7

Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through September 25, 2015

CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy aromatic (en-US) Japanese ENCS Number: (3)-7

Japanese ISHL Number: (3)-7

Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical Substance Control Law ('Kashinho').

KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2016-15, January 19, 2016)

CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy arom.

Korean ID Number: KE-31656PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012

CAS RN: 68037-01-4, Name: 1-Decene, homopolymer, hydrogenated

TSCA: U.S. Federal, TSCA

TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-94-5, Name: SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.

CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8008-20-6, Generics group name: KEROSINE (PETROLEUM), CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8030-30-6, Generics group name: NAPHTHA

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)

27/4/2016 EN (English) 6/9

Safety Data Sheet

according to Regulation (EU) 2015/830

CAS RN: 64742-94-5, Name: Solvent naphtha (petroleum), heavy arom.

CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8008-

20-6

Generics group name: Kerosine (petroleum)

CAS RN: 64742-94-5 may be regulated as a member of the Generics group for CAS RN: 8030-

30-6

Generics group name: Naphtha

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)

CAS RN: 64742-94-5, Name: SOLVENT NAPHTHA, PETROLEUM, HEAVY AROM. 1990 HPV Challenge Program Chemical, HPV Indicator Value (see notes): 2, 4 HPV

Sponsorship Value (see notes): F, I CAS RN: 64742-94-5 may be regulated as a member of

the Generics group for CAS RN: 8008-20-6

Generics group name: KEROSINE, PETROLEUM, 1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0, HPV Sponsorship Value (see notes): F CAS RN: 64742-

94-5 may be regulated as a member of the Generics group for CAS RN: 8030-30-6 Generics group name: NAPHTHA, 1990 HPV Challenge Program Chemical

HPV Indicator Value (see notes): 0, HPV Sponsorship Value (see notes): F

Notes

O Chemical is a candidate for sponsorship under the HPV Challenge Program.

2 Chemical is otherwise being handled under the Organisation for Economic Cooperation and Development (OECD) Screening Information Data Sheet (SIDS) Program. This chemical may be sponsored, however.

A company or consortium has had confirmed by the International Council of Chemical Associations (ICCA) their sponsorship of this chemical in the HPV Initiative of the ICCA, and all information essentially equivalent to a Full Commitment under the HPV Challenge Program (i.e., chemical name, CAS number, start year for each chemical, technical contact person and telephone) has been provided to the Agency.

F Fully Sponsored Chemical

I ICCA Confirmed Commitment Chemical

. International regulatory information:

AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)

CAS RN: 64742-70-7

Name: Paraffin oils, petroleum, catalytic dewaxed heavy

Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.

DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1

Generics group name: PARAFFIN OILS

Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No

Persistent: No

Bioaccumulative: No

Inherently toxic to aquatic organisms: No

ENCS: not listed

KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE

2015-95, July 1, 2015)

Name: Paraffin oils (petroleum), catalytic dewaxed heavy

Korean ID Number: KE-27774

PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012

CAS RN: 64742-70-7

Name: Paraffin oils (petroleum), catalytic dewaxed heavy

TSCA: U.S. Federal, TSCA

TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)

CAS RN: 64742-70-7

Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY

CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1

Generics group name: PARAFFIN OILS

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-

Generics group name: Paraffin oils

CAS RN: 64742-70-7

Name: Paraffin oils (petroleum), catalytic dewaxed heavy

27/4/2016 EN (English) 7/9

Safety Data Sheet

according to Regulation (EU) 2015/830

```
CAS RN: 64742-70-7
```

Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY

1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F

Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully Sponsored Chemical

. International regulatory information:

AICS. Australia. Inventory of Chemical Substances (as amended through 1 September 2015)

CAS RN: 64742-57-0

Name: Residual oils, petroleum, hydrotreated

Notes: aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (*) after the CAS number.

DSL. Canada. Domestic Substances List, as amended through September 23, 2015

CAS RN: 64742-57-0

Name: Residual oils, petroleum, hydrotreated

Canada. Categorization of Existing Substances on DSL (September 2006)

CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS

RN: 8012-95-1

Generics group name: PARAFFIN OILS

Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No

Persistent: No Bioaccumulative: No

Inherently toxic to aquatic organisms: No

ENCS. Japan. Inventory of Existing & New Chemical Substances, as amended through July 30, 2015

CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated (en-US)

Japanese ENCS Number: (9)-1689

Japan. Industrial Safety & Health Law (ISHL) Inventory, as amended through June 26, 2015

CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated (en-US)

Japanese ENCS Number: (9)-1689 Japanese ISHL Number: (9)-1689

Notes iencs: Grandfathered onto ISHL from ENCS according to the Chemical

Substance Control Law.

KECI. Korea Existing Chemicals Inventory (January 27, 2015, amended through MoE 2015-95, July 1, 2015)

CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated

Korean ID Number: KE-30119

PICCS. Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012

CAS RN: 64742-57-0

Name: Residual oils (petroleum), hydrotreated

U.S. Federal, TSCA. IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))

CÁS RN: 64742-57-0

Name: RESIDUAL OILS (PETROLEUM), HYDROTREATED

CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS

Generics group name: PARAFFIN OILS

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)

CAS RN: 64742-57-0 may be regulated as a member of the Generics group for CAS RN: 8012-95-1

Generics group name: Paraffin oils

CAS RN: 64742-57-0 Name: Residual oils (petroleum), hydrotreated

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-57-0 Namé: RESIDUAL OILS, PETROLEUM, HYDROTREATED

1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0

HPV Sponsorship Value (see notes): F

Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program. F Fully Sponsored Chemical.

27/4/2016 EN (English) 8/9

Safety Data Sheet

according to Regulation (EU) 2015/830

15.1.2. National regulations

Germany

VwVwS Annex reference

 Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

: Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).],Solvent naphtha (petroleum), heavy aromatic are listed

SZW-lijst van mutagene stoffen

Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).],Residual oils (petroleum), hydrotreated, Baseoil - unspecified, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C25 and boiling above approximately 400 °C (752 °F).],Solvent naphtha (petroleum), heavy aromatic are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid

: None of the components are listed

NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

giftige stoffen – Ontwikkeling

Denmark

Recommendations Danish Regulation

: The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Other information

: It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H304	May be fatal if swallowed and enters airways
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

27/4/2016 EN (English) 9/9