

# ENOC CIRCULA RO

## PRODUCT DESCRIPTION

**ENOC CIRCULA RO** are general purpose oils made from selected paraffinic base stocks. They have high viscosity indexes, inhibited with rust and oxidation performance. They also have excellent water separating characteristics and are suitable for applications where no antiwear properties are required.

## APPLICATIONS

- ◆ **32, 46** and **68** are excellent for general lubrication and total loss systems as well as circulating and hydraulic systems where make-up rates can be high
- ◆ **68** and **100** can be used in mechanical vacuum pumps compressors, machine tools.
- ◆ **100** and **150** may also be used in circulating and hydraulic systems requiring these higher viscosities.
- ◆ **68, 100** and **150** can be used for enclosed gears, bath and circulating systems.

## PERFORMANCE STANDARD

DIN 51515 part 1

***Always follow equipment manufacturers recommendations for required lubricant performance levels and viscosity grades.***

## BENEFITS

**Circula RO provides:**

- ◆ A wide range of viscosities
- ◆ Good oxidation stability
- ◆ High viscosity index
- ◆ Resistance to sludge formation
- ◆ Excellent water separation characteristics

Technical Data*								
ISO Grade	32	46	68	100	150	220	320	460
Viscosity mm <sup>2</sup> /s @ 40°C	31	44	68	99	148	218	319	460
mm <sup>2</sup> /s @ 100°C	5.2	6.7	8.4	10.7	14.3	18.4	23.4	29.8
Viscosity Index	97	96	96	95	95	95	95	95
Pour Point, °C	-21	-18	-15	-15	-15	-9	-9	-9
Flash Point, COC, °C	215	220	230	240	250	255	260	275
Product code	247001	247002	247003	247008	247004	247005	247006	247007

\*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

### HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.