

ENOC VERRON MWR GREASE

PRODUCT DESCRIPTION

ENOC VERRON MWR is a high performance Calcium grease with extreme pressure properties developed for wire rope and open gear Marine applications where it has good tackiness capabilities. It has excellent resistance to water wash-out due to its strong adhesion properties to prevent the loss of coating or “fling-off”. It has excellent load carrying properties for all marine environments due to the micro graphite additives technology that forms a protective film in dry lubrication conditions.

APPLICATIONS

- ◆ General Marine open gears
- ◆ Marine wire ropes
- ◆ Marine cables
- ◆ Low speed, high load applications
- ◆ Effective temperature range -20°C to 70°C

Always follow equipment manufacturer’s recommendation for required grease performance and re-lubrication periods.

BENEFITS

ENOC VERRON MWR provides:

- ◆ Excellent load carrying properties
- ◆ High Resistance to water wash-out
- ◆ Wide range of applications
- ◆ No Harmful constituents
- ◆ Excellent corrosion protection

Technical Data*	
NLGI Grade	2
Dropping point, °C	102
Penetration, Worked @ 25°C	265-295
Color	Black
Thickner Type	Calcium thickneer
Operating temperature range °C	-20 to 70
Product Code	224027

*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.

Issued by ENOC Marketing LLC, Dubai, U.A.E.

Last Updated on : October 2018- MS

PDS V2151018